COSIL
INSTRUMENTS COMPANY



COSIL
INSTRUMENTS
COMPANY

MANUFACTURAR & EXPORTER OF ALL
KIND OF ELECTRO SURGICAL INSRUMENTS



ELECTROSURGICAL

INSULATED BIPOLAR FORCEPS

ELECTROSURGICAL

INSULATED BIPOLAR FORCEPS

Our range of Electrosurgery Forceps is designed to provide precision and control during electrosurgical procedures. Featuring highly polished tips for optimal heat and electrical conductivity, these forceps ensure rapid heat dispersion, allowing for effective cutting and coagulation. Available in both standard and advanced models, our forceps are built to minimize tissue adhesion and enhance the surgeon's tactile feedback.



The middle area of non-stick forceps often features a textured or grooved surface to provide a secure and controlled grip for the user. This section
is usually reinforced for added stability
and balance, allowing for precise manipulation even during delicate procedures.

The tips of non-stick forceps are finely crafted for precision and coated with a non-stick material, such as Teflon, to prevent adhesion and ensure smooth handling. These tips are typically narrow and tapered, allowing for delicate manipulation of tissues or materials without sticking or tearing.

The Nonstick Forceps Plugin is an essential accessory for medical and laboratory equipment, designed to

Whether for single-use or reusable options, these instruments offer reliability and efficiency, ensuring safe and effective surgical outcomes

01 Electrosurgical Insulated Bipolar Forceps

Flat Plug Connection



Straight Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM101A	CEFM101B	CEFM101C	CEFM101D	CEFM101E	0.50mm
	CEFM102A	CEFM102B	CEFM102C	CEFM102D	CEFM102E	1.00mm
	CEFM103A	CEFM103B	CEFM103C	CEFM103D	CEFM103E	2.00mm
Single-Use	CEFS101A	CEFS101B	CEFS101C	CEFS101D	CEFS101E	0.50mm
	CEFS102A	CEFS102B	CEFS102C	CEFS102D	CEFS102E	1.00mm
	CEFS103A	CEFS103B	CEFS103C	CEFS103D	CEFS103E	2.00mm

Box of 20 Units



Insulated Bayonet Tip Down Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM110A	CEFM110B	CEFM110C	CEFM110D	CEFM110E	0.50mm
	CEFM111A	CEFM111B	CEFM111C	CEFM111D	CEFM111E	1.00mm
	CEFM112A	CEFM112B	CEFM112C	CEFM112D	CEFM112E	2.00mm
Single-Use	CEFS110A	CEFS110B	CEFS110C	CEFS110D	CEFS110E	0.50mm
	CEFS111A	CEFS111B	CEFS111C	CEFS111D	CEFS111E	1.00mm
	CEFS112A	CEFS112B	CEFS112C	CEFS112D	CEFS112E	2.00mm

Box of 20 Units



Insulated Straight Angle Tip Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM104A	CEFM104B	CEFM104C	CEFM104D	CEFM104E	0.50mm
	CEFM105A	CEFM105B	CEFM105C	CEFM105D	CEFM105E	1.00mm
	CEFM106A	CEFM106B	CEFM106C	CEFM106D	CEFM106E	2.00mm
Single-Use	CEFS104A	CEFS104B	CEFS104C	CEFS104D	CEFS104E	0.50mm
	CEFS105A	CEFS105B	CEFS105C	CEFS105D	CEFS105E	1.00mm
	CEFS106A	CEFS106B	CEFS106C	CEFS106D	CEFS106E	2.00mm

Box of 20 Units



Insulated Bayonet Tip Up Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM113A	CEFM113B	CEFM113C	CEFM113D	CEFM113E	0.50mm
	CEFM114A	CEFM114B	CEFM114C	CEFM114D	CEFM114E	1.00mm
	CEFM115A	CEFM115B	CEFM115C	CEFM115D	CEFM115E	2.00mm
Single-Use	CEFS113A	CEFS113B	CEFS113C	CEFS113D	CEFS113E	0.50mm
	CEFS114A	CEFS114B	CEFS114C	CEFS114D	CEFS114E	1.00mm
	CEFS115A	CEFS115B	CEFS115C	CEFS115D	CEFS115E	2.00mm

Box of 20 Units



Insulated Bayonet Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM107A	CEFM107B	CEFM107C	CEFM107D	CEFM107E	0.50mm
	CEFM108A	CEFM108B	CEFM108C	CEFM108D	CEFM108E	1.00mm
	CEFM109A	CEFM109B	CEFM109C	CEFM109D	CEFM109E	2.00mm
Single-Use	CEFS107A	CEFS107B	CEFS107C	CEFS107D	CEFS107E	0.50mm
	CEFS108A	CEFS108B	CEFS108C	CEFS108D	CEFS108E	1.00mm
	CEFS109A	CEFS109B	CEFS109C	CEFS109D	CEFS109E	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX: 0.5KVP

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial
C EF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

01 Electrosurgical Insulated Bipolar Forceps

Flat Plug Connection



Mchpherson Bipolar Forceps

	102mm		
Multi-Use	CEFM116T	0.50mm	Box of 20 Units
	CEFM117T	1.00mm	
	CEFM118T	2.00mm	
Single-Use	CEFS116T	0.50mm	
	CEFS117T	1.00mm	
	CEFS118T	2.00mm	



Jeweler#7 Bipolar Forceps

	115mm		
Multi-Use	CEFM119U	0.50mm	Box of 20 Units
	CEFM120U	1.00mm	
	CEFM121U	2.00mm	
Single-Use	CEFS119U	0.50mm	
	CEFS120U	1.00mm	
	CEFS121U	2.00mm	



Jeweler#4 Ang. Tip Bipolar Forceps

	108mm		
Multi-Use	CEFM122U	0.50mm	Box of 20 Units
	CEFM123U	1.00mm	
	CEFM124U	2.00mm	
Single-Use	CEFS122U	0.50mm	
	CEFS123U	1.00mm	
	CEFS124U	2.00mm	



Jeweler#4 Str. Tip Bipolar Forceps

	115mm		
Multi-Use	CEFM125V	0.50mm	Box of 20 Units
	CEFM126V	1.00mm	
	CEFM127V	2.00mm	
Single-Use	CEFS125V	0.50mm	
	CEFS126V	1.00mm	
	CEFS127V	2.00mm	



Adson Bipolar Forceps

	121mm	155mm	180mm	200mm	
Multi-Use	CEFM128W	CEFM128A	CEFM128B	CEFM128C	0.50mm
	CEFM129W	CEFM129A	CEFM129B	CEFM129C	1.00mm
	CEFM130W	CEFM130A	CEFM130B	CEFM130C	2.00mm
Single-Use	CEFS128W	CEFS128A	CEFS128B	CEFS128C	0.50mm
	CEFS129W	CEFS129A	CEFS129B	CEFS129C	1.00mm
	CEFS130W	CEFS130A	CEFS130B	CEFS130C	2.00mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX: 0.5KVP

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial
C EF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

01 Electrosurgical Insulated Bipolar Forceps

Two Pin Connection



Iris Str. Bipolar Forceps

108mm

Multi-Use	CEFM167U	0.50mm	Box of 20 Units
	CEFM168U	1.00mm	
	CEFM169U	2.00mm	
Single-Use	CEFS167U	0.50mm	
	CEFS168U	1.00mm	
	CEFS169U	2.00mm	



Iris Ang. Bipolar Forceps

108mm

Multi-Use	CEFM170U	0.50mm	Box of 20 Units
	CEFM171U	1.00mm	
	CEFM172U	2.00mm	
Single-Use	CEFS170U	0.50mm	
	CEFS171U	1.00mm	
	CEFS172U	2.00mm	



Jeweler#5 Str. Bipolar Forceps

115mm

Multi-Use	CEFM173V	0.50mm	Box of 20 Units
	CEFM174V	1.00mm	
	CEFM175V	2.00mm	
Single-Use	CEFS173V	0.50mm	
	CEFS174V	1.00mm	
	CEFS175V	2.00mm	



Jeweler#4 Str. Bipolar Forceps

115mm

Multi-Use	CEFM176V	0.50mm	Box of 20 Units
	CEFM177V	1.00mm	
	CEFM178V	2.00mm	
Single-Use	CEFS176V	0.50mm	
	CEFS177V	1.00mm	
	CEFS178V	2.00mm	



Jeweler#4 Pointed Bipolar Forceps

115mm

Multi-Use	CEFM179V	0.50mm	Box of 20 Units
	CEFM180V	1.00mm	
	CEFM181V	2.00mm	
Single-Use	CEFS179V	0.50mm	
	CEFS180V	1.00mm	
	CEFS181V	2.00mm	



Jeweler#7 Bipolar Forcep

115mm

Multi-Vse	CEFM182V	0.50mm	Box of 20 Units
	CEFM183V	1.00mm	
	CEFM184V	2.00mm	
Single-Vse	CEFS182V	0.50mm	
	CEFS183V	1.00mm	
	CEFS184V	2.00mm	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial

C EF M/S XXX X

C: Cosil; EF: Electrosurgical Forceps; M/S: Multi-Use/Single-Use; XXX: Serial; X: Length

01 Electrosurgical Insulated Bipolar Forceps

Two Pin Connection



Coaptation Special Bipolar Forceps

	115mm	
Multi-Use	CEFM185V	0.50mm
	CEFM186V	1.00mm
	CEFM187V	2.00mm
Single-Use	CEFS185V	0.50mm
	CEFS186V	1.00mm
	CEFS187V	2.00mm

Box of 20 Units



Jeweler#9 Bipolar Forceps

	108mm	
Multi-Use	CEFM188U	0.50mm
	CEFM189U	1.00mm
	CEFM190U	2.00mm
Single-Use	CEFS188U	0.50mm
	CEFS189U	1.00mm
	CEFS190U	2.00mm

Box of 20 Units



Jeweler#4 Monopolar Forceps

	115mm	
Multi-Use	CEFM191V	0.50mm
	CEFM192V	1.00mm
	CEFM193V	2.00mm
Single-Use	CEFS191V	0.50mm
	CEFS192V	1.00mm
	CEFS193V	2.00mm

Box of 20 Units



Jeweler#7 Monopolar Forceps

	108mm	
Multi-Use	CEFM194U	0.50mm
	CEFM195U	1.00mm
	CEFM196U	2.00mm
Single-Use	CEFS194U	0.50mm
	CEFS195U	1.00mm
	CEFS196U	2.00mm

Box of 20 Units



Adson Monopolar Forceps

	121mm	155mm	180mm	200mm	
Multi-Use	CEFM197W	CEFM197A	CEFM197B	CEFM197C	0.50mm
	CEFM198W	CEFM198A	CEFM198B	CEFM198C	1.00mm
	CEFM199W	CEFM199A	CEFM199B	CEFM199C	2.00mm
Single-Use	CEFS197W	CEFS197A	CEFS197B	CEFS197C	0.50mm
	CEFS198W	CEFS198A	CEFS198B	CEFS198C	1.00mm
	CEFS199W	CEFS199A	CEFS199B	CEFS199C	2.00mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Regular

Tip Sizes
- 0.25mm
- 0.75mm
- 1.25mm
- 2.50mm

Electrosurgical Forceps — Serial

C EF M/S XXX X

- C: Cosil
- M/S: Multi-Use/Single-Use
- XXX X: Length

01 Electrosurgical Insulated Bipolar Forceps

Two Pin Connection



Insulated Malis Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CEFM131A	CEFM131B	CEFM131C	CEFM131D	CEFM131E	0.50mm	Box of 20 Units
	CEFM132A	CEFM132B	CEFM132C	CEFM132D	CEFM132E	1.00mm	
	CEFM133A	CEFM133B	CEFM133C	CEFM133D	CEFM133E	2.00mm	
Single-Use	CEFS131A	CEFS131B	CEFS131C	CEFS131D	CEFS131E	0.50mm	
	CEFS132A	CEFS132B	CEFS132C	CEFS132D	CEFS132E	1.00mm	
	CEFS133A	CEFS133B	CEFS133C	CEFS133D	CEFS133E	2.00mm	



Insulated Jensen Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CEFM134A	CEFM134B	CEFM134C	CEFM134D	CEFM134E	0.50mm	Box of 20 Units
	CEFM135A	CEFM135B	CEFM135C	CEFM135D	CEFM135E	1.00mm	
	CEFM136A	CEFM136B	CEFM136C	CEFM136D	CEFM136E	2.00mm	
Single-Use	CEFS134A	CEFS134B	CEFS134C	CEFS134D	CEFS134E	0.50mm	
	CEFS135A	CEFS135B	CEFS135C	CEFS135D	CEFS135E	1.00mm	
	CEFS136A	CEFS136B	CEFS136C	CEFS136D	CEFS136E	2.00mm	



Insulated Hardy Bayonet Straight Forceps

	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CEFM137A	CEFM137B	CEFM137C	CEFM137D	CEFM137E	0.50mm	Box of 20 Units
	CEFM138A	CEFM138B	CEFM138C	CEFM138D	CEFM138E	1.00mm	
	CEFM139A	CEFM139B	CEFM139C	CEFM139D	CEFM139E	2.00mm	
Single-Use	CEFS137A	CEFS137B	CEFS137C	CEFS137D	CEFS137E	0.50mm	
	CEFS138A	CEFS138B	CEFS138C	CEFS138D	CEFS138E	1.00mm	
	CEFS139A	CEFS139B	CEFS139C	CEFS139D	CEFS139E	2.00mm	



Insulated Hardy Angled Shape Forceps

	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CEFM140A	CEFM140B	CEFM140C	CEFM140D	CEFM140E	0.50mm	Box of 20 Units
	CEFM141A	CEFM141B	CEFM141C	CEFM141D	CEFM141E	1.00mm	
	CEFM142A	CEFM142B	CEFM142C	CEFM142D	CEFM142E	2.00mm	
Single-Use	CEFS140A	CEFS140B	CEFS140C	CEFS140D	CEFS140E	0.50mm	
	CEFS141A	CEFS141B	CEFS141C	CEFS141D	CEFS141E	1.00mm	
	CEFS142A	CEFS142B	CEFS142C	CEFS142D	CEFS142E	2.00mm	



Insulated Straight Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CEFM143A	CEFM143B	CEFM143C	CEFM143D	CEFM143E	0.50mm	Box of 20 Units
	CEFM144A	CEFM144B	CEFM144C	CEFM144D	CEFM144E	1.00mm	
	CEFM145A	CEFM145B	CEFM145C	CEFM145D	CEFM145E	2.00mm	
Single-Use	CEFS143A	CEFS143B	CEFS143C	CEFS143D	CEFS143E	0.50mm	
	CEFS144A	CEFS144B	CEFS144C	CEFS144D	CEFS144E	1.00mm	
	CEFS145A	CEFS145B	CEFS145C	CEFS145D	CEFS145E	2.00mm	



Insulated Cushing Grush Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CEFM146A	CEFM146B	CEFM146C	CEFM146D	CEFM146E	0.50mm	Box of 20 Units
	CEFM147A	CEFM147B	CEFM147C	CEFM147D	CEFM147E	1.00mm	
	CEFM148A	CEFM148B	CEFM148C	CEFM148D	CEFM148E	2.00mm	
Single-Use	CEFS146A	CEFS146B	CEFS146C	CEFS146D	CEFS146E	0.50mm	
	CEFS147A	CEFS147B	CEFS147C	CEFS147D	CEFS147E	1.00mm	
	CEFS148A	CEFS148B	CEFS148C	CEFS148D	CEFS148E	2.00mm	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial

C EF M/S XXX X

C: Cosil; EF: Electrosurgical Forceps; M/S: Multi-Use/Single-Use; XXX: Serial; X: Length

01 Electrosurgical Insulated Bipolar Forceps

Two Pin Connection



Insulated Gerald Straight Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM149A	CEFM149B	CEFM149C	CEFM149D	CEFM149E	0.50mm
	CEFM150A	CEFM150B	CEFM150C	CEFM150D	CEFM150E	1.00mm
	CEFM151A	CEFM151B	CEFM151C	CEFM151D	CEFM151E	2.00mm
Single-Use	CEFS149A	CEFS149B	CEFS149C	CEFS149D	CEFS149E	0.50mm
	CEFS150A	CEFS150B	CEFS150C	CEFS150D	CEFS150E	1.00mm
	CEFS151A	CEFS151B	CEFS151C	CEFS151D	CEFS151E	2.00mm

Box of 20 Units



Insulated Gerald Straight Angled Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM152A	CEFM152B	CEFM152C	CEFM152D	CEFM152E	0.50mm
	CEFM153A	CEFM153B	CEFM153C	CEFM153D	CEFM153E	1.00mm
	CEFM154A	CEFM154B	CEFM154C	CEFM154D	CEFM154E	2.00mm
Single-Use	CEFS152A	CEFS152B	CEFS152C	CEFS152D	CEFS152E	0.50mm
	CEFS153A	CEFS153B	CEFS153C	CEFS153D	CEFS153E	1.00mm
	CEFS154A	CEFS154B	CEFS154C	CEFS154D	CEFS154E	2.00mm

Box of 20 Units



Insulated Gerald Bayonet Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM155A	CEFM155B	CEFM155C	CEFM155D	CEFM155E	0.50mm
	CEFM156A	CEFM156B	CEFM156C	CEFM156D	CEFM156E	1.00mm
	CEFM157A	CEFM157B	CEFM157C	CEFM157D	CEFM157E	2.00mm
Single-Use	CEFS155A	CEFS155B	CEFS155C	CEFS155D	CEFS155E	0.50mm
	CEFS156A	CEFS156B	CEFS156C	CEFS156D	CEFS156E	1.00mm
	CEFS157A	CEFS157B	CEFS157C	CEFS157D	CEFS157E	2.00mm

Box of 20 Units



Adson Bipolar Forceps

	121mm	155mm	180mm	200mm	
Multi-Use	CEFM158W	CEFM158A	CEFM158B	CEFM158C	0.50mm
	CEFM159W	CEFM159A	CEFM159B	CEFM159C	1.00mm
	CEFM160W	CEFM160A	CEFM160B	CEFM160C	2.00mm
Single-Use	CEFS158W	CEFS158A	CEFS158B	CEFS158C	0.50mm
	CEFS159W	CEFS159A	CEFS159B	CEFS159C	1.00mm
	CEFS160W	CEFS160A	CEFS160B	CEFS160C	2.00mm

Box of 20 Units



Smart Iris Str. Bipolar Forceps

	102mm	
Multi-Use	CEFM161T	0.50mm
	CEFM162T	1.00mm
	CEFM163T	2.00mm
Single-Use	CEFS161T	0.50mm
	CEFS162T	1.00mm
	CEFS163T	2.00mm

Box of 20 Units



Smart Iris Ang. Bipolar Forceps

	102mm	
Multi-Use	CEFM164T	0.50mm
	CEFM165T	1.00mm
	CEFM166T	2.00mm
Single-Use	CEFS164T	0.50mm
	CEFS165T	1.00mm
	CEFS166T	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial

C EF M/S XXX X

C: Cosil; EF: Electrosurgical Forceps; M/S: Multi-Use/Single-Use; XXX: Serial; X: Length

01 Electrosurgical Insulated Irrigation Forceps

Two Pin, Flat Plug Connection



Irrigation Bayonet Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM200A	CEFM200B	CEFM200C	CEFM200D	CEFM200E	0.50mm
	CEFM201A	CEFM201B	CEFM201C	CEFM201D	CEFM201E	1.00mm
	CEFM202A	CEFM202B	CEFM202C	CEFM202D	CEFM202E	2.00mm
Single-Use	CEFS200A	CEFS200B	CEFS200C	CEFS200D	CEFS200E	0.50mm
	CEFS201A	CEFS201B	CEFS201C	CEFS201D	CEFS201E	1.00mm
	CEFS202A	CEFS202B	CEFS202C	CEFS202D	CEFS202E	2.00mm

Box of 20 Units



Irrigation Straight Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM203A	CEFM203B	CEFM203C	CEFM203D	CEFM203E	0.50mm
	CEFM204A	CEFM204B	CEFM204C	CEFM204D	CEFM204E	1.00mm
	CEFM205A	CEFM205B	CEFM205C	CEFM205D	CEFM205E	2.00mm
Single-Use	CEFS203A	CEFS203B	CEFS203C	CEFS203D	CEFS203E	0.50mm
	CEFS204A	CEFS204B	CEFS204C	CEFS204D	CEFS204E	1.00mm
	CEFS205A	CEFS205B	CEFS205C	CEFS205D	CEFS205E	2.00mm

Box of 20 Units



Irrigation Straight Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM206A	CEFM206B	CEFM206C	CEFM206D	CEFM206E	0.50mm
	CEFM207A	CEFM207B	CEFM207C	CEFM207D	CEFM207E	1.00mm
	CEFM208A	CEFM208B	CEFM208C	CEFM208D	CEFM208E	2.00mm
Single-Use	CEFS206A	CEFS206B	CEFS206C	CEFS206D	CEFS206E	0.50mm
	CEFS207A	CEFS207B	CEFS207C	CEFS207D	CEFS207E	1.00mm
	CEFS208A	CEFS208B	CEFS208C	CEFS208D	CEFS208E	2.00mm

Box of 20 Units



Irrigation Jensen Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM209A	CEFM209B	CEFM209C	CEFM209D	CEFM209E	0.50mm
	CEFM210A	CEFM210B	CEFM210C	CEFM210D	CEFM210E	1.00mm
	CEFM211A	CEFM211B	CEFM211C	CEFM211D	CEFM211E	2.00mm
Single-Use	CEFS209A	CEFS209B	CEFS209C	CEFS209D	CEFS209E	0.50mm
	CEFS210A	CEFS210B	CEFS210C	CEFS210D	CEFS210E	1.00mm
	CEFS211A	CEFS211B	CEFS211C	CEFS211D	CEFS211E	2.00mm

Box of 20 Units



Irrigation Malis Bipolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM212A	CEFM212B	CEFM212C	CEFM212D	CEFM212E	0.50mm
	CEFM213A	CEFM213B	CEFM213C	CEFM213D	CEFM213E	1.00mm
	CEFM214A	CEFM214B	CEFM214C	CEFM214D	CEFM214E	2.00mm
Single-Use	CEFS212A	CEFS212B	CEFS212C	CEFS212D	CEFS212E	0.50mm
	CEFS213A	CEFS213B	CEFS213C	CEFS213D	CEFS213E	1.00mm
	CEFS214A	CEFS214B	CEFS214C	CEFS214D	CEFS214E	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX: 0.5KVP

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial
C EF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

01 Electrosurgical Insulated Monopolar Forceps

Female Block Connection



Bayonet Premium Tips Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM215A	CEFM215B	CEFM215C	CEFM215D	CEFM215E	0.50mm
	CEFM217A	CEFM217B	CEFM217C	CEFM217D	CEFM217E	1.00mm
	CEFM218A	CEFM218B	CEFM218C	CEFM218D	CEFM218E	2.00mm
Single-Use	CEFS215A	CEFS215B	CEFS215C	CEFS215D	CEFS215E	0.50mm
	CEFS217A	CEFS217B	CEFS217C	CEFS217D	CEFS217E	1.00mm
	CEFS218A	CEFS218B	CEFS218C	CEFS218D	CEFS218E	2.00mm





Bayonet Monopolar Angle Up Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM219A	CEFM219B	CEFM219C	CEFM219D	CEFM219E	0.50mm
	CEFM220A	CEFM220B	CEFM220C	CEFM220D	CEFM220E	1.00mm
	CEFM221A	CEFM221B	CEFM221C	CEFM221D	CEFM221E	2.00mm
Single-Use	CEFS219A	CEFS219B	CEFS219C	CEFS219D	CEFS219E	0.50mm
	CEFS220A	CEFS220B	CEFS220C	CEFS220D	CEFS220E	1.00mm
	CEFS221A	CEFS221B	CEFS221C	CEFS221D	CEFS221E	2.00mm





Insulated Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM222A	CEFM222B	CEFM222C	CEFM222D	CEFM222E	0.50mm
	CEFM223A	CEFM223B	CEFM223C	CEFM223D	CEFM223E	1.00mm
	CEFM224A	CEFM224B	CEFM224C	CEFM224D	CEFM224E	2.00mm
Single-Use	CEFS222A	CEFS222B	CEFS222C	CEFS222D	CEFS222E	0.50mm
	CEFS223A	CEFS223B	CEFS223C	CEFS223D	CEFS223E	1.00mm
	CEFS224A	CEFS224B	CEFS224C	CEFS224D	CEFS224E	2.00mm



Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

Box of 20 Units
UMAX: 0.5KVP

Also Available
Tip Sizes
0.25mm
0.75mm
1.25mm
2.50mm

Electrosurgical Forceps — Serial

C EF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

01 Electrosurgical Insulated Monopolar Forceps

Banana Plug Connection



Adson Monopolar Forceps

	121mm	155mm	180mm	200mm	
Multi-Use	CEFM225W	CEFM225A	CEFM225B	CEFM225C	0.50mm
	CEFM226W	CEFM226A	CEFM226B	CEFM226C	1.00mm
	CEFM227W	CEFM227A	CEFM227B	CEFM227C	2.00mm
Single-Use	CEFS225W	CEFS225A	CEFS225B	CEFS225C	0.50mm
	CEFS226W	CEFS226A	CEFS226B	CEFS226C	1.00mm
	CEFS227W	CEFS227A	CEFS227B	CEFS227C	2.00mm







Dressing Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM234A	CEFM234B	CEFM234C	CEFM234D	CEFM234E	0.50mm
	CEFM235A	CEFM235B	CEFM235C	CEFM235D	CEFM235E	1.00mm
	CEFM236A	CEFM236B	CEFM236C	CEFM236D	CEFM236E	2.00mm
Single-Use	CEFS234A	CEFS234B	CEFS234C	CEFS234D	CEFS234E	0.50mm
	CEFS235A	CEFS235B	CEFS235C	CEFS235D	CEFS235E	1.00mm
	CEFS236A	CEFS236B	CEFS236C	CEFS236D	CEFS236E	2.00mm



McIndoe Monopolar Forceps

	155mm	180mm	
Multi-Use	CEFM228A	CEFM228B	0.50mm
	CEFM229A	CEFM229B	1.00mm
	CEFM230A	CEFM230B	2.00mm
Single-Use	CEFS228A	CEFS228B	0.50mm
	CEFS229A	CEFS229B	1.00mm
	CEFS230A	CEFS230B	2.00mm



Gerald Straight 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM237A	CEFM237B	CEFM237C	0.50mm
	CEFM238A	CEFM238B	CEFM238C	1.00mm
	CEFM239A	CEFM239B	CEFM239C	2.00mm
Single-Use	CEFS237A	CEFS237B	CEFS237C	0.50mm
	CEFS238A	CEFS238B	CEFS238C	1.00mm
	CEFS239A	CEFS239B	CEFS239C	2.00mm





Gilies 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM231A	CEFM231B	CEFM231C	0.50mm
	CEFM232A	CEFM232B	CEFM232C	1.00mm
	CEFM233A	CEFM233B	CEFM233C	2.00mm
Single-Use	CEFS231A	CEFS231B	CEFS231C	0.50mm
	CEFS232A	CEFS232B	CEFS232C	1.00mm
	CEFS233A	CEFS233B	CEFS233C	2.00mm



Bayonet Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM240A	CEFM240B	CEFM240C	CEFM240D	CEFM240E	0.50mm
	CEFM241A	CEFM241B	CEFM241C	CEFM241D	CEFM241E	1.00mm
	CEFM242A	CEFM242B	CEFM242C	CEFM242D	CEFM242E	2.00mm
Single-Use	CEFS240A	CEFS240B	CEFS240C	CEFS240D	CEFS240E	0.50mm
	CEFS241A	CEFS241B	CEFS241C	CEFS241D	CEFS241E	1.00mm
	CEFS242A	CEFS242B	CEFS242C	CEFS242D	CEFS242E	2.00mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

Box of 20 Units
UMAX: 0.5KVP

Also Available
Tip Sizes
0.25mm
0.75mm
1.25mm
2.50mm

Electrosurgical Forceps | Serial
C EF M/S XXX X
Cosil | Multi-Use/Single-Use | Length

01 Electrosurgical Insulated Monopolar Forceps

Banana Plug Connection



Bayonet Angled Tip Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM243A	CEFM243B	CEFM243C	CEFM243D	CEFM243E	0.50mm
	CEFM244A	CEFM244B	CEFM244C	CEFM244D	CEFM244E	1.00mm
	CEFM245A	CEFM245B	CEFM245C	CEFM245D	CEFM245E	2.00mm
Single-Use	CEFS243A	CEFS243B	CEFS243C	CEFS243D	CEFS243E	0.50mm
	CEFS244A	CEFS244B	CEFS244C	CEFS244D	CEFS244E	1.00mm
	CEFS245A	CEFS245B	CEFS245C	CEFS245D	CEFS245E	2.00mm





Regminton Monopolar Forceps

	200mm	220mm	240mm	
Multi-Use	CEFM246C	CEFM246D	CEFM246E	0.50mm
	CEFM247C	CEFM247D	CEFM247E	1.00mm
	CEFM248C	CEFM248D	CEFM248E	2.00mm
Single-Use	CEFS246C	CEFS246D	CEFS246E	0.50mm
	CEFS247C	CEFS247D	CEFS247E	1.00mm
	CEFS248C	CEFS248D	CEFS248E	2.00mm





Monopolar Grasping Holder 4mm

		155mm	180mm	200mm	220mm	240mm
Multi-Use	Straight	CEFM248A	CEFM248B	CEFM248C	CEFM248D	CEFM248E
	Angled	CEFM249A	CEFM249B	CEFM249C	CEFM249D	CEFM249E
Single-Use	Straight	CEFS248A	CEFS248B	CEFS248C	CEFS248D	CEFS248E
	Angled	CEFS249A	CEFS249B	CEFS249C	CEFS249D	CEFS249E



Monopolar Dressing Scissors 4mm

		155mm	180mm	200mm	220mm	240mm
Multi-Use	Straight	CEFM250A	CEFM250B	CEFM250C	CEFM250D	CEFM250E
	Angled	CEFM251A	CEFM251B	CEFM251C	CEFM251D	CEFM251E
Single-Use	Straight	CEFS250A	CEFS250B	CEFS250C	CEFS250D	CEFS250E
	Angled	CEFS251A	CEFS251B	CEFS251C	CEFS251D	CEFS251E



Monopolar Riche Forcpes 4.8mm

		155mm	180mm	200mm	220mm	240mm
Multi-Use	Straight	CEFM252A	CEFM252B	CEFM252C	CEFM252D	CEFM252E
	Angled	CEFM253A	CEFM253B	CEFM253C	CEFM253D	CEFM253E
Single-Use	Straight	CEFS252A	CEFS252B	CEFS252C	CEFS252D	CEFS252E
	Angled	CEFS253A	CEFS253B	CEFS253C	CEFS253D	CEFS253E

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

Box of 20 Units
UMAX: 0.5KVP

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial
C EF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

01 Electrosurgical Insulated Monopolar Forceps

Without Connector



Adson Monopolar Forceps

	121mm	155mm	180mm	200mm	
Multi-Use	CEFM254W	CEFM254A	CEFM254B	CEFM254C	0.50mm
	CEFM255W	CEFM255A	CEFM255B	CEFM255C	1.00mm
	CEFM256W	CEFM256A	CEFM256B	CEFM256C	2.00mm
Single-Use	CEFS254W	CEFS254A	CEFS254B	CEFS254C	0.50mm
	CEFS255W	CEFS255A	CEFS255B	CEFS255C	1.00mm
	CEFS256W	CEFS256A	CEFS256B	CEFS256C	2.00mm





Dissecting Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM263A	CEFM263B	CEFM263C	CEFM263D	CEFM263E	0.50mm
	CEFM264A	CEFM264B	CEFM264C	CEFM264D	CEFM264E	1.00mm
	CEFM265A	CEFM265B	CEFM265C	CEFM265D	CEFM265E	2.00mm
Single-Use	CEFS263A	CEFS263B	CEFS263C	CEFS263D	CEFS263E	0.50mm
	CEFS264A	CEFS264B	CEFS264C	CEFS264D	CEFS264E	1.00mm
	CEFS265A	CEFS265B	CEFS265C	CEFS265D	CEFS265E	2.00mm





McIndoe Monopolar Forceps

	155mm	180mm	
Multi-Use	CEFM257A	CEFM257B	0.50mm
	CEFM258A	CEFM258B	1.00mm
	CEFM259A	CEFM259B	2.00mm
Single-Use	CEFS257A	CEFS257B	0.50mm
	CEFS258A	CEFS258B	1.00mm
	CEFS259A	CEFS259B	2.00mm



Gerald Straight 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM266A	CEFM266B	CEFM266C	0.50mm
	CEFM267A	CEFM267B	CEFM267C	1.00mm
	CEFM268A	CEFM268B	CEFM268C	2.00mm
Single-Use	CEFS266A	CEFS266B	CEFS266C	0.50mm
	CEFS267A	CEFS267B	CEFS267C	1.00mm
	CEFS268A	CEFS268B	CEFS268C	2.00mm





Gilies 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM260A	CEFM260B	CEFM260C	0.50mm
	CEFM261A	CEFM261B	CEFM261C	1.00mm
	CEFM262A	CEFM262B	CEFM262C	2.00mm
Single-Use	CEFS260A	CEFS260B	CEFS260C	0.50mm
	CEFS261A	CEFS261B	CEFS261C	1.00mm
	CEFS262A	CEFS262B	CEFS262C	2.00mm



Bayonet Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM269A	CEFM269B	CEFM269C	CEFM269D	CEFM269E	0.50mm
	CEFM270A	CEFM270B	CEFM270C	CEFM270D	CEFM270E	1.00mm
	CEFM271A	CEFM271B	CEFM271C	CEFM271D	CEFM271E	2.00mm
Single-Use	CEFS269A	CEFS269B	CEFS269C	CEFS269D	CEFS269E	0.50mm
	CEFS270A	CEFS270B	CEFS270C	CEFS270D	CEFS270E	1.00mm
	CEFS271A	CEFS271B	CEFS271C	CEFS271D	CEFS271E	2.00mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

Box of 20 Units
UMAX: 0.5KVP

Also Available
Tip Sizes
0.25mm
0.75mm
1.25mm
2.50mm

Electrosurgical Forceps — Serial
C EF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

01 Electrosurgical Insulated Monopolar Forceps

Without Connector, Female Plug Connection



Bayonet Angled Tip Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM272A	CEFM272B	CEFM272C	CEFM272D	CEFM272E	0.50mm
	CEFM273A	CEFM273B	CEFM273C	CEFM273D	CEFM273E	1.00mm
	CEFM274A	CEFM274B	CEFM274C	CEFM274D	CEFM274E	2.00mm
Single-Use	CEFS272A	CEFS272B	CEFS272C	CEFS272D	CEFS272E	0.50mm
	CEFS273A	CEFS273B	CEFS273C	CEFS273D	CEFS273E	1.00mm
	CEFS274A	CEFS274B	CEFS274C	CEFS274D	CEFS274E	2.00mm



Regminton Monopolar Forceps

	200mm	220mm	240mm	
Multi-Use	CEFM275C	CEFM275D	CEFM275E	0.50mm
	CEFM276C	CEFM276D	CEFM276E	1.00mm
	CEFM277C	CEFM277D	CEFM277E	2.00mm
Single-Use	CEFS275C	CEFS275D	CEFS275E	0.50mm
	CEFS276C	CEFS276D	CEFS276E	1.00mm
	CEFS277C	CEFS277D	CEFS277E	2.00mm



Adson Monopolar Forceps

	121mm	155mm	180mm	200mm	
Multi-Use	CEFM278W	CEFM278A	CEFM278B	CEFM278C	0.50mm
	CEFM279W	CEFM279A	CEFM279B	CEFM279C	1.00mm
	CEFM280W	CEFM280A	CEFM280B	CEFM280C	2.00mm
Single-Use	CEFS278W	CEFS278A	CEFS278B	CEFS278C	0.50mm
	CEFS279W	CEFS279A	CEFS279B	CEFS279C	1.00mm
	CEFS280W	CEFS280A	CEFS280B	CEFS280C	2.00mm



Mclndoe Monopolar Forceps

	155mm	180mm	
Multi-Use	CEFM281A	CEFM281B	0.50mm
	CEFM282A	CEFM282B	1.00mm
	CEFM283A	CEFM283B	2.00mm
Single-Use	CEFS281A	CEFS281B	0.50mm
	CEFS282A	CEFS282B	1.00mm
	CEFS283A	CEFS283B	2.00mm



Gilies 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM284A	CEFM284B	CEFM284C	0.50mm
	CEFM285A	CEFM285B	CEFM285C	1.00mm
	CEFM286A	CEFM286B	CEFM286C	2.00mm
Single-Use	CEFS284A	CEFS284B	CEFS284C	0.50mm
	CEFS285A	CEFS285B	CEFS285C	1.00mm
	CEFS286A	CEFS286B	CEFS286C	2.00mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp

Box of 20 Units
UMAX: 0.5KVP

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial

C EF M/S XXX X

C: Cosil; EF: Multi-Use/Single-Use; M/S: Multi-Use/Single-Use; XXX: Length; X: Length

01 Electrosurgical Insulated Monopolar Forceps

Female Plug Connection



Dressing Monopolar Fopreps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM287A	CEFM287B	CEFM287C	CEFM287D	CEFM287E	0.50mm
	CEFM288A	CEFM288B	CEFM288C	CEFM288D	CEFM288E	1.00mm
	CEFM289A	CEFM289B	CEFM289C	CEFM289D	CEFM289E	2.00mm
Single-Use	CEFS287A	CEFS287B	CEFS287C	CEFS287D	CEFS287E	0.50mm
	CEFS288A	CEFS288B	CEFS288C	CEFS288D	CEFS288E	1.00mm
	CEFS289A	CEFS289B	CEFS289C	CEFS289D	CEFS289E	2.00mm







Bayonet Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM296A	CEFM296B	CEFM296C	CEFM296D	CEFM296E	0.50mm
	CEFM297A	CEFM297B	CEFM297C	CEFM297D	CEFM297E	1.00mm
	CEFM298A	CEFM298B	CEFM298C	CEFM298D	CEFM298E	2.00mm
Single-Use	CEFS296A	CEFS296B	CEFS296C	CEFS296D	CEFS296E	0.50mm
	CEFS297A	CEFS297B	CEFS297C	CEFS297D	CEFS297E	1.00mm
	CEFS298A	CEFS298B	CEFS298C	CEFS298D	CEFS298E	2.00mm



Gerald Straight 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM290A	CEFM290B	CEFM290C	0.50mm
	CEFM291A	CEFM291B	CEFM291C	1.00mm
	CEFM292A	CEFM292B	CEFM292C	2.00mm
Single-Use	CEFS290A	CEFS290B	CEFS290C	0.50mm
	CEFS291A	CEFS291B	CEFS291C	1.00mm
	CEFS292A	CEFS292B	CEFS292C	2.00mm





Bayonet Angled Tip Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM299A	CEFM299B	CEFM299C	CEFM299D	CEFM299E	0.50mm
	CEFM300A	CEFM300B	CEFM300C	CEFM300D	CEFM300E	1.00mm
	CEFM301A	CEFM301B	CEFM301C	CEFM301D	CEFM301E	2.00mm
Single-Use	CEFS299A	CEFS299B	CEFS299C	CEFS299D	CEFS299E	0.50mm
	CEFS300A	CEFS300B	CEFS300C	CEFS300D	CEFS300E	1.00mm
	CEFS301A	CEFS301B	CEFS301C	CEFS301D	CEFS301E	2.00mm



Dressing s Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM293A	CEFM293B	CEFM293C	CEFM293D	CEFM293E	0.50mm
	CEFM294A	CEFM294B	CEFM294C	CEFM294D	CEFM294E	1.00mm
	CEFM295A	CEFM295B	CEFM295C	CEFM295D	CEFM295E	2.00mm
Single-Use	CEFS293A	CEFS293B	CEFS293C	CEFS293D	CEFS293E	0.50mm
	CEFS294A	CEFS294B	CEFS294C	CEFS294D	CEFS294E	1.00mm
	CEFS295A	CEFS295B	CEFS295C	CEFS295D	CEFS295E	2.00mm



Regminton Monopolar Forceps

	200mm	220mm	240mm	
Multi-Use	CEFM302C	CEFM302D	CEFM302E	0.50mm
	CEFM303C	CEFM303D	CEFM303E	1.00mm
	CEFM304C	CEFM304D	CEFM304E	2.00mm
Single-Use	CEFS302C	CEFS302D	CEFS302E	0.50mm
	CEFS303C	CEFS303D	CEFS303E	1.00mm
	CEFS304C	CEFS304D	CEFS304E	2.00mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

Box of 20 Units
UMAX: 0.5KVP

Also Available
Tip Sizes
0.25mm
0.75mm
1.25mm
2.50mm

Electrosurgical Forceps | Serial
C EF M/S XXX X
Cosil | Multi-Use/Single-Use | Length

01 Electrosurgical Insulated Monopolar Forceps

4.8mm Plug Connection



Adson Monopolar Forceps

	121mm	155mm	180mm	200mm	
Multi-Use	CEFM305W	CEFM305A	CEFM305B	CEFM305C	0.50mm
	CEFM306W	CEFM306A	CEFM306B	CEFM306C	1.00mm
	CEFM307W	CEFM307A	CEFM307B	CEFM307C	2.00mm
Single-Use	CEFS305W	CEFS305A	CEFS305B	CEFS305C	0.50mm
	CEFS306W	CEFS306A	CEFS306B	CEFS306C	1.00mm
	CEFS307W	CEFS307A	CEFS307B	CEFS307C	2.00mm





Dressing Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM314A	CEFM314B	CEFM314C	CEFM314D	CEFM314E	0.50mm
	CEFM315A	CEFM315B	CEFM315C	CEFM315D	CEFM315E	1.00mm
	CEFM316A	CEFM316B	CEFM316C	CEFM316D	CEFM316E	2.00mm
Single-Use	CEFS314A	CEFS314B	CEFS314C	CEFS314D	CEFS314E	0.50mm
	CEFS315A	CEFS315B	CEFS315C	CEFS315D	CEFS315E	1.00mm
	CEFS316A	CEFS316B	CEFS316C	CEFS316D	CEFS316E	2.00mm



McIndoe Monopolar Forceps

	155mm	180mm	
Multi-Use	CEFM308A	CEFM308B	0.50mm
	CEFM309A	CEFM309B	1.00mm
	CEFM310A	CEFM310B	2.00mm
Single-Use	CEFS308A	CEFS308B	0.50mm
	CEFS309A	CEFS309B	1.00mm
	CEFS310A	CEFS310B	2.00mm





Gerald Straight 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM317A	CEFM317B	CEFM317C	0.50mm
	CEFM318A	CEFM318B	CEFM318C	1.00mm
	CEFM319A	CEFM319B	CEFM319C	2.00mm
Single-Use	CEFS317A	CEFS317B	CEFS317C	0.50mm
	CEFS318A	CEFS318B	CEFS318C	1.00mm
	CEFS319A	CEFS319B	CEFS319C	2.00mm



Gilies 2/1 Tip Monopolar Forceps

	155mm	180mm	200mm	
Multi-Use	CEFM311A	CEFM311B	CEFM311C	0.50mm
	CEFM312A	CEFM312B	CEFM312C	1.00mm
	CEFM313A	CEFM313B	CEFM313C	2.00mm
Single-Use	CEFS311A	CEFS311B	CEFS311C	0.50mm
	CEFS312A	CEFS312B	CEFS312C	1.00mm
	CEFS313A	CEFS313B	CEFS313C	2.00mm





Bayonet Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM320A	CEFM320B	CEFM320C	CEFM320D	CEFM320E	0.50mm
	CEFM321A	CEFM321B	CEFM321C	CEFM321D	CEFM321E	1.00mm
	CEFM322A	CEFM322B	CEFM322C	CEFM322D	CEFM322E	2.00mm
Single-Use	CEFS320A	CEFS320B	CEFS320C	CEFS320D	CEFS320E	0.50mm
	CEFS321A	CEFS321B	CEFS321C	CEFS321D	CEFS321E	1.00mm
	CEFS322A	CEFS322B	CEFS322C	CEFS322D	CEFS322E	2.00mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

Box of 20 Units
UMAX: 0.5KVP

Also Available
Tip Sizes
0.25mm
0.75mm
1.25mm
2.50mm

Electrosurgical Forceps | Serial

C EF M/S XXX X

Cosil | Multi-Use/Single-Use | Length

01 Electrosurgical Insulated Monopolar Forceps

4.8 Plug Connection



Bayonet Angled Tip Monopolar Forceps

	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CEFM323A	CEFM323B	CEFM323C	CEFM323D	CEFM323E	0.50mm
	CEFM324A	CEFM324B	CEFM324C	CEFM324D	CEFM324E	1.00mm
	CEFM325A	CEFM325B	CEFM325C	CEFM325D	CEFM325E	2.00mm
Single-Use	CEFS323A	CEFS323B	CEFS323C	CEFS323D	CEFS323E	0.50mm
	CEFS324A	CEFS324B	CEFS324C	CEFS324D	CEFS324E	1.00mm
	CEFS325A	CEFS325B	CEFS325C	CEFS325D	CEFS325E	2.00mm





Regminton Monopolar Forceps

	200mm	220mm	240mm	
Multi-Use	CEFM326C	CEFM326D	CEFM326E	0.50mm
	CEFM327C	CEFM327D	CEFM327E	1.00mm
	CEFM328C	CEFM328D	CEFM328E	2.00mm
Single-Use	CEFS326C	CEFS326D	CEFS326E	0.50mm
	CEFS327C	CEFS327D	CEFS327E	1.00mm
	CEFS328C	CEFS328D	CEFS328E	2.00mm





Monopolar Grasping Holder 4mm

		155mm	180mm	200mm	220mm	240mm
Multi-Use	Straight	CEFM328A	CEFM328B	CEFM328C	CEFM328D	CEFM328E
	Angled	CEFM329A	CEFM329B	CEFM329C	CEFM329D	CEFM329E
Single-Use	Straight	CEFS328A	CEFS328B	CEFS328C	CEFS328D	CEFS328E
	Angled	CEFS329A	CEFS329B	CEFS329C	CEFS329D	CEFS329E



Monopolar Dressing Scissors 4mm

		155mm	180mm	200mm	220mm	240mm
Multi-Use	Straight	CEFM330A	CEFM330B	CEFM330C	CEFM330D	CEFM330E
	Angled	CEFM331A	CEFM331B	CEFM331C	CEFM331D	CEFM331E
Single-Use	Straight	CEFS330A	CEFS330B	CEFS330C	CEFS330D	CEFS330E
	Angled	CEFS331A	CEFS331B	CEFS331C	CEFS331D	CEFS331E



Monopolar Riche Forcpes 4.8mm

		155mm	180mm	200mm	220mm	240mm
Multi-Use	Straight	CEFM332A	CEFM332B	CEFM332C	CEFM332D	CEFM332E
	Angled	CEFM333A	CEFM333B	CEFM333C	CEFM333D	CEFM333E
Single-Use	Straight	CEFS332A	CEFS332B	CEFS332C	CEFS332D	CEFS332E
	Angled	CEFS333A	CEFS333B	CEFS333C	CEFS333D	CEFS333E

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Electrosurgical Forceps — Serial

C EF M/S XXX X

C: Cosil; EF: Forceps; M/S: Multi-Use/Single-Use; XXX: Length; X: Tip Size

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

Box of 20 Units
UMAX: 0.5KVP

02 C-Tech Bipolar Instrumenmts

Sealer



4.0mm Male Plug



BOX OF 20 UNITS

		165mm	190mm	215mm	240mm
Multi-Use	Curve	CPFM101K	CPFM101L	CPFM101M	CPFM101N
	Angle	CPFM102K	CPFM102K	CPFM102M	CPFM102N
Single-Use	Curve	CPFS101K	CPFS101L	CPFS101M	CPFS101N
	Angle	CPFS102K	CPFS102L	CPFS102M	CPFS102N

4.0mm Female Plug



BOX OF 20 UNITS

		165mm	190mm	215mm	240mm
Multi-Use	Curve	CPFM103K	CPFM103L	CPFM103M	CPFM103N
	Angle	CPFM104K	CPFM104L	CPFM104M	CPFM104N
Single-Use	Curve	CPFS103K	CPFS103L	CPFS103M	CPFS103N
	Angle	CPFS104K	CPFS104L	CPFS104M	CPFS104N

2.4mm Ethicon Plug



BOX OF 20 UNITS

		165mm	190mm	215mm	240mm
Multi-Use	Curve	CPFM105K	CPFM105L	CPFM105M	CPFM105N
	Angle	CPFM106K	CPFM106L	CPFM106M	CPFM106N
Single-Use	Curve	CPFS105K	CPFS105L	CPFS105M	CPFS105N
	Angle	CPFS106K	CPFS106L	CPFS106M	CPFS106N

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Premium Forceps — Serial
C PF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

02 C-Tech Non-Stick Bipolar Instrumenmts

Sealer



Non-Stick Bipolar Vessel Sealer Stainless Steel



4.0mm Male Plug



BOX OF 20 UNITS

		165mm	190mm	215mm	240mm
Multi-Use	Curve	CPFM107K	CPFM107L	CPFM107M	CPFM107N
	Angle	CPFM108K	CPFM108L	CPFM108M	CPFM108N
Single-Use	Curve	CPFS107K	CPFS107L	CPFS107M	CPFS107N
	Angle	CPFS108K	CPFS108L	CPFS108M	CPFS108N

4.0mm Female Plug



BOX OF 20 UNITS

		165mm	190mm	215mm	240mm
Multi-Use	Curve	CPFM109K	CPFM109L	CPFM109M	CPFM109N
	Angle	CPFM110K	CPFM110L	CPFM110M	CPFM110N
Single-Use	Curve	CPFS109K	CPFS109L	CPFS109M	CPFS109N
	Angle	CPFS110K	CPFS110L	CPFS110M	CPFS110N

2.4mm Ethicon Plug



BOX OF 20 UNITS

		165mm	190mm	215mm	240mm
Multi-Use	Curve	CPFM111K	CPFM111L	CPFM111M	CPFM111N
	Angle	CPFM112K	CPFM112L	CPFM112M	CPFM112N
Single-Use	Curve	CPFS111K	CPFS111L	CPFS111M	CPFS111N
	Angle	CPFS112K	CPFS112L	CPFS112M	CPFS112N

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

02 C-Tech Non-Stick Bipolar Instrumenmts

Scissor



Bipolar Cut-Coag Scissor -Ceramics

4.0mm Male Plug



BOX OF 20 UNITS

	180mm	200mm	220mm
Multi-Use	CPFM113P	CPFM113Q	CPFM113R
Single-Use	CPFS113P	CPFS113Q	CPFS113R

4.0mm Female Plug



BOX OF 20 UNITS

	180mm	200mm	220mm
Multi-Use	CPFM114P	CPFM114Q	CPFM114R
Single-Use	CPFS114P	CPFS114Q	CPFS114R

2.4mm Ethicon Plug



BOX OF 20 UNITS

	180mm	200mm	220mm
Multi-Use	CPFM115P	CPFM115Q	CPFM115R
Single-Use	CPFS115P	CPFS115Q	CPFS115R

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

C-Tech Bipolar Instrumenmts

Flat Plug Connection



	102mm	115mm	
Multi-Use	CPFM116T	CPFM116V	0.50mm
	CPFM117T	CPFM117V	1.00mm
	CPFM118T	CPFM118V	2.00mm
Single-Use	CPFS116T	CPFS116V	0.50mm
	CPFS117T	CPFS117V	1.00mm
	CPFS118T	CPFS118V	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM125T	CPFM125V	0.50mm
	CPFM126T	CPFM126V	1.00mm
	CPFM127T	CPFM127V	2.00mm
Single-Use	CPFS125T	CPFS125V	0.50mm
	CPFS126T	CPFS126V	1.00mm
	CPFS127T	CPFS127V	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM119T	CPFM119V	0.50mm
	CPFM120T	CPFM120V	1.00mm
	CPFM121T	CPFM121V	2.00mm
Single-Use	CPFS119T	CPFS119V	0.50mm
	CPFS120T	CPFS120V	1.00mm
	CPFS121T	CPFS121V	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM128T	CPFM128V	0.50mm
	CPFM129T	CPFM129V	1.00mm
	CPFM130T	CPFM130V	2.00mm
Single-Use	CPFS128T	CPFS128V	0.50mm
	CPFS129T	CPFS129V	1.00mm
	CPFS130T	CPFS130V	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM122X	CPFM122A	CPFM122B	CPFM122C	CPFM122D	CPFM122P	0.50mm
	CPFM123X	CPFM123A	CPFM123B	CPFM123C	CPFM123D	CPFM123P	1.00mm
	CPFM124X	CPFM124A	CPFM124B	CPFM124C	CPFM124D	CPFM124P	2.00mm
Single-Use	CPFS122X	CPFS122A	CPFS122B	CPFS122C	CPFS122D	CPFS122P	0.50mm
	CPFS123X	CPFS123A	CPFS123B	CPFS123C	CPFS123D	CPFS123P	1.00mm
	CPFS124X	CPFS124A	CPFS124B	CPFS124C	CPFS124D	CPFS124P	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM131X	CPFM131A	CPFM131B	CPFM131C	CPFM131D	CPFM131P	0.50mm
	CPFM132X	CPFM132A	CPFM132B	CPFM132C	CPFM132D	CPFM132P	1.00mm
	CPFM133X	CPFM133A	CPFM133B	CPFM133C	CPFM133D	CPFM133P	2.00mm
Single-Use	CPFS131X	CPFS131A	CPFS131B	CPFS131C	CPFS131D	CPFS131P	0.50mm
	CPFS132X	CPFS132A	CPFS132B	CPFS132C	CPFS132D	CPFS132P	1.00mm
	CPFS133X	CPFS133A	CPFS133B	CPFS133C	CPFS133D	CPFS133P	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

02 C-Tech Bipolar Instrumenmts

Two Pin Connection



	102mm	115mm	
Multi-Use	CPFM134T	CPFM134V	0.50mm
	CPFM135T	CPFM135V	1.00mm
	CPFM136T	CPFM136V	2.00mm
Single-Use	CPFS134T	CPFS134V	0.50mm
	CPFS135T	CPFS135V	1.00mm
	CPFS136T	CPFS136V	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM137T	CPFM137V	0.50mm
	CPFM138T	CPFM138V	1.00mm
	CPFM139T	CPFM139V	2.00mm
Single-Use	CPFS137T	CPFS137V	0.50mm
	CPFS138T	CPFS138V	1.00mm
	CPFS139T	CPFS139V	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM140X	CPFM140A	CPFM140B	CPFM140C	CPFM140D	CPFM140P	0.50mm
	CPFM141X	CPFM141A	CPFM141B	CPFM141C	CPFM141D	CPFM141P	1.00mm
	CPFM142X	CPFM142A	CPFM142B	CPFM142C	CPFM142D	CPFM142P	2.00mm
Single-Use	CPFS140X	CPFS140A	CPFS140B	CPFS140C	CPFS140D	CPFS140P	0.50mm
	CPFS141X	CPFS141A	CPFS141B	CPFS141C	CPFS141D	CPFS141P	1.00mm
	CPFS142X	CPFS142A	CPFS142B	CPFS142C	CPFS142D	CPFS142P	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM143T	CPFM143V	0.50mm
	CPFM144T	CPFM144V	1.00mm
	CPFM145T	CPFM145V	2.00mm
Single-Use	CPFS143T	CPFS143V	0.50mm
	CPFS144T	CPFS144V	1.00mm
	CPFS145T	CPFS145V	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM146T	CPFM146V	0.50mm
	CPFM147T	CPFM147V	1.00mm
	CPFM148T	CPFM148V	2.00mm
Single-Use	CPFS146T	CPFS146V	0.50mm
	CPFS147T	CPFS147V	1.00mm
	CPFS148T	CPFS148V	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM149X	CPFM149A	CPFM149B	CPFM149C	CPFM149D	CPFM149P	0.50mm
	CPFM150X	CPFM150A	CPFM150B	CPFM150C	CPFM150D	CPFM150P	1.00mm
	CPFM151X	CPFM151A	CPFM151B	CPFM151C	CPFM151D	CPFM151P	2.00mm
Single-Use	CPFS149X	CPFS149A	CPFS149B	CPFS149C	CPFS149D	CPFS149P	0.50mm
	CPFS150X	CPFS150A	CPFS150B	CPFS150C	CPFS150D	CPFS150P	1.00mm
	CPFS151X	CPFS151A	CPFS151B	CPFS151C	CPFS151D	CPFS151P	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX: 0.5KVP

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial
C PF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

C-Tech Bipolar Instrumenmts

Flat Plug Connection



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM152A	CPFM152B	CPFM152C	CPFM152D	CPFM152P	0.50mm
	CPFM153A	CPFM153B	CPFM153C	CPFM153D	CPFM153P	1.00mm
	CPFM154A	CPFM154B	CPFM154C	CPFM154D	CPFM154P	2.00mm
Single-Use	CPFS152A	CPFS152B	CPFS152C	CPFS152D	CPFS152P	0.50mm
	CPFS153A	CPFS153B	CPFS153C	CPFS153D	CPFS153P	1.00mm
	CPFS154A	CPFS154B	CPFS154C	CPFS154D	CPFS154P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM155A	CPFM155B	CPFM155C	CPFM155D	CPFM155P	0.50mm
	CPFM156A	CPFM156B	CPFM156C	CPFM156D	CPFM156P	1.00mm
	CPFM157A	CPFM157B	CPFM157C	CPFM157D	CPFM157P	2.00mm
Single-Use	CPFS155A	CPFS155B	CPFS155C	CPFS155D	CPFS155P	0.50mm
	CPFS156A	CPFS156B	CPFS156C	CPFS156D	CPFS156P	1.00mm
	CPFS157A	CPFS157B	CPFS157C	CPFS157D	CPFS157P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM158A	CPFM158B	CPFM158C	CPFM158D	CPFM158P	0.50mm
	CPFM159A	CPFM159B	CPFM159C	CPFM159D	CPFM159P	1.00mm
	CPFM160A	CPFM160B	CPFM160C	CPFM160D	CPFM160P	2.00mm
Single-Use	CPFS158A	CPFS158B	CPFS158C	CPFS158D	CPFS158P	0.50mm
	CPFS159A	CPFS159B	CPFS159C	CPFS159D	CPFS159P	1.00mm
	CPFS160A	CPFS160B	CPFS160C	CPFS160D	CPFS160P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM161A	CPFM161B	CPFM161C	CPFM161D	CPFM161P	0.50mm
	CPFM162A	CPFM162B	CPFM162C	CPFM162D	CPFM162P	1.00mm
	CPFM163A	CPFM163B	CPFM163C	CPFM163D	CPFM163P	2.00mm
Single-Use	CPFS161A	CPFS161B	CPFS161C	CPFS161D	CPFS161P	0.50mm
	CPFS162A	CPFS162B	CPFS162C	CPFS162D	CPFS162P	1.00mm
	CPFS163A	CPFS163B	CPFS163C	CPFS163D	CPFS163P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM164A	CPFM164B	CPFM164C	CPFM164D	CPFM164P	0.50mm
	CPFM165A	CPFM165B	CPFM165C	CPFM165D	CPFM165P	1.00mm
	CPFM166A	CPFM166B	CPFM166C	CPFM166D	CPFM166P	2.00mm
Single-Use	CPFS164A	CPFS164B	CPFS164C	CPFS164D	CPFS164P	0.50mm
	CPFS165A	CPFS165B	CPFS165C	CPFS165D	CPFS165P	1.00mm
	CPFS166A	CPFS166B	CPFS166C	CPFS166D	CPFS166P	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

C-Tech Bipolar Instrumenmts

Two Pin Connection



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM167A	CPFM167B	CPFM167C	CPFM167D	CPFM167P	0.50mm
	CPFM168A	CPFM168B	CPFM168C	CPFM168D	CPFM168P	1.00mm
	CPFM169A	CPFM169B	CPFM169C	CPFM169D	CPFM169P	2.00mm
Single-Use	CPFS167A	CPFS167B	CPFS167C	CPFS167D	CPFS167P	0.50mm
	CPFS168A	CPFS168B	CPFS168C	CPFS168D	CPFS168P	1.00mm
	CPFS169A	CPFS169B	CPFS169C	CPFS169D	CPFS169P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM170A	CPFM170B	CPFM170C	CPFM170D	CPFM170P	0.50mm
	CPFM171A	CPFM171B	CPFM171C	CPFM171D	CPFM171P	1.00mm
	CPFM172A	CPFM172B	CPFM172C	CPFM172D	CPFM172P	2.00mm
Single-Use	CPFS170A	CPFS170B	CPFS170C	CPFS170D	CPFS170P	0.50mm
	CPFS171A	CPFS171B	CPFS171C	CPFS171D	CPFS171P	1.00mm
	CPFS172A	CPFS172B	CPFS172C	CPFS172D	CPFS172P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM173A	CPFM173B	CPFM173C	CPFM173D	CPFM173P	0.50mm
	CPFM174A	CPFM174B	CPFM174C	CPFM174D	CPFM174P	1.00mm
	CPFM175A	CPFM175B	CPFM175C	CPFM175D	CPFM175P	2.00mm
Single-Use	CPFS173A	CPFS173B	CPFS173C	CPFS173D	CPFS173P	0.50mm
	CPFS174A	CPFS174B	CPFS174C	CPFS174D	CPFS174P	1.00mm
	CPFS175A	CPFS175B	CPFS175C	CPFS175D	CPFS175P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM176A	CPFM176B	CPFM176C	CPFM176D	CPFM176P	0.50mm
	CPFM177A	CPFM177B	CPFM177C	CPFM177D	CPFM177P	1.00mm
	CPFM178A	CPFM178B	CPFM178C	CPFM178D	CPFM178P	2.00mm
Single-Use	CPFS176A	CPFS176B	CPFS176C	CPFS176D	CPFS176P	0.50mm
	CPFS177A	CPFS177B	CPFS177C	CPFS177D	CPFS177P	1.00mm
	CPFS178A	CPFS178B	CPFS178C	CPFS178D	CPFS178P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM179A	CPFM179B	CPFM179C	CPFM179D	CPFM179P	0.50mm
	CPFM180A	CPFM180B	CPFM180C	CPFM180D	CPFM180P	1.00mm
	CPFM181A	CPFM181B	CPFM181C	CPFM181D	CPFM181P	2.00mm
Single-Use	CPFS179A	CPFS179B	CPFS179C	CPFS179D	CPFS179P	0.50mm
	CPFS180A	CPFS180B	CPFS180C	CPFS180D	CPFS180P	1.00mm
	CPFS181A	CPFS181B	CPFS181C	CPFS181D	CPFS181P	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

C: Cosil; PF: Premium Forceps; M/S: Multi-Use/Single-Use; XXX: Length; X: Serial

C-Tech Bipolar Instrumenmts

Non-Stick Irrigation Forceps



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM182A	CPFM182B	CPFM182C	CPFM182D	CPFM182P	0.50mm	Box of 20 Units
	CPFM183A	CPFM183B	CPFM183C	CPFM183D	CPFM183P	1.00mm	
	CPFM184A	CPFM184B	CPFM184C	CPFM184D	CPFM184P	2.00mm	
Single-Use	CPFS182A	CPFS182B	CPFS182C	CPFS182D	CPFS182P	0.50mm	
	CPFS183A	CPFS183B	CPFS183C	CPFS183D	CPFS183P	1.00mm	
	CPFS184A	CPFS184B	CPFS184C	CPFS184D	CPFS184P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM188A	CPFM188B	CPFM188C	CPFM188D	CPFM188P	0.50mm	Box of 20 Units
	CPFM189A	CPFM189B	CPFM189C	CPFM189D	CPFM189P	1.00mm	
	CPFM190A	CPFM190B	CPFM190C	CPFM190D	CPFM190P	2.00mm	
Single-Use	CPFS188A	CPFS188B	CPFS188C	CPFS188D	CPFS188P	0.50mm	
	CPFS189A	CPFS189B	CPFS189C	CPFS189D	CPFS189P	1.00mm	
	CPFS190A	CPFS190B	CPFS190C	CPFS190D	CPFS190P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM185A	CPFM185B	CPFM185C	CPFM185D	CPFM185P	0.50mm	Box of 20 Units
	CPFM186A	CPFM186B	CPFM186C	CPFM186D	CPFM186P	1.00mm	
	CPFM187A	CPFM187B	CPFM187C	CPFM187D	CPFM187P	2.00mm	
Single-Use	CPFS185A	CPFS185B	CPFS185C	CPFS185D	CPFS185P	0.50mm	
	CPFS186A	CPFS186B	CPFS186C	CPFS186D	CPFS186P	1.00mm	
	CPFS187A	CPFS187B	CPFS187C	CPFS187D	CPFS187P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM191A	CPFM191B	CPFM191C	CPFM191D	CPFM191P	0.50mm	Box of 20 Units
	CPFM192A	CPFM192B	CPFM192C	CPFM192D	CPFM192P	1.00mm	
	CPFM193A	CPFM193B	CPFM193C	CPFM193D	CPFM193P	2.00mm	
Single-Use	CPFS191A	CPFS191B	CPFS191C	CPFS191D	CPFS191P	0.50mm	
	CPFS192A	CPFS192B	CPFS192C	CPFS192D	CPFS192P	1.00mm	
	CPFS193A	CPFS193B	CPFS193C	CPFS193D	CPFS193P	2.00mm	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

02 C-Tech Bipolar Instrumenmts

Titanium Forceps



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM194A	CPFM194B	CPFM194C	CPFM194D	CPFM194P	0.50mm
	CPFM195A	CPFM195B	CPFM195C	CPFM195D	CPFM195P	1.00mm
	CPFM196A	CPFM196B	CPFM196C	CPFM196D	CPFM196P	2.00mm
Single-Use	CPFS194A	CPFS194B	CPFS194C	CPFS194D	CPFS194P	0.50mm
	CPFS195A	CPFS195B	CPFS195C	CPFS195D	CPFS195P	1.00mm
	CPFS196A	CPFS196B	CPFS196C	CPFS196D	CPFS196P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM203A	CPFM203B	CPFM203C	CPFM203D	CPFM203P	0.50mm
	CPFM204A	CPFM204B	CPFM204C	CPFM204D	CPFM204P	1.00mm
	CPFM205A	CPFM205B	CPFM205C	CPFM205D	CPFM205P	2.00mm
Single-Use	CPFS203A	CPFS203B	CPFS203C	CPFS203D	CPFS203P	0.50mm
	CPFS204A	CPFS204B	CPFS204C	CPFS204D	CPFS204P	1.00mm
	CPFS205A	CPFS205B	CPFS205C	CPFS205D	CPFS205P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM197A	CPFM197B	CPFM197C	CPFM197D	CPFM197P	0.50mm
	CPFM198A	CPFM198B	CPFM198C	CPFM198D	CPFM198P	1.00mm
	CPFM199A	CPFM199B	CPFM199C	CPFM199D	CPFM199P	2.00mm
Single-Use	CPFS197A	CPFS197B	CPFS197C	CPFS197D	CPFS197P	0.50mm
	CPFS198A	CPFS198B	CPFS198C	CPFS198D	CPFS198P	1.00mm
	CPFS199A	CPFS199B	CPFS199C	CPFS199D	CPFS199P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM206A	CPFM206B	CPFM206C	CPFM206D	CPFM206P	0.50mm
	CPFM207A	CPFM207B	CPFM207C	CPFM207D	CPFM207P	1.00mm
	CPFM208A	CPFM208B	CPFM208C	CPFM208D	CPFM208P	2.00mm
Single-Use	CPFS206A	CPFS206B	CPFS206C	CPFS206D	CPFS206P	0.50mm
	CPFS207A	CPFS207B	CPFS207C	CPFS207D	CPFS207P	1.00mm
	CPFS208A	CPFS208B	CPFS208C	CPFS208D	CPFS208P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM200A	CPFM200B	CPFM200C	CPFM200D	CPFM200P	0.50mm
	CPFM201A	CPFM201B	CPFM201C	CPFM201D	CPFM201P	1.00mm
	CPFM202A	CPFM202B	CPFM202C	CPFM202D	CPFM202P	2.00mm
Single-Use	CPFS200A	CPFS200B	CPFS200C	CPFS200D	CPFS200P	0.50mm
	CPFS201A	CPFS201B	CPFS201C	CPFS201D	CPFS201P	1.00mm
	CPFS202A	CPFS202B	CPFS202C	CPFS202D	CPFS202P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM209A	CPFM209B	CPFM209C	CPFM209D	CPFM209P	0.50mm
	CPFM210A	CPFM210B	CPFM210C	CPFM210D	CPFM210P	1.00mm
	CPFM211A	CPFM211B	CPFM211C	CPFM211D	CPFM211P	2.00mm
Single-Use	CPFS209A	CPFS209B	CPFS209C	CPFS209D	CPFS209P	0.50mm
	CPFS210A	CPFS210B	CPFS210C	CPFS210D	CPFS210P	1.00mm
	CPFS211A	CPFS211B	CPFS211C	CPFS211D	CPFS211P	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX: 0.5KVP

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial
C PF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

02 C-Tech Bipolar Instrumenmts

Elite Non-Stick Foreceps



	102mm	115mm	
Multi-Use	CPFM212T	CPFM212V	0.50mm
	CPFM213T	CPFM213V	1.00mm
	CPFM214T	CPFM214V	2.00mm
Single-Use	CPFS212T	CPFS212V	0.50mm
	CPFS213T	CPFS213V	1.00mm
	CPFS214T	CPFS214V	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	300mm	
Multi-Use	CPFM218X	CPFM218A	CPFM218B	CPFM218C	CPFM218D	CPFM218P	CPFM218F	0.50mm
	CPFM219X	CPFM219A	CPFM219B	CPFM219C	CPFM219D	CPFM219P	CPFM219F	1.00mm
	CPFM220X	CPFM220A	CPFM220B	CPFM220C	CPFM220D	CPFM220P	CPFM220F	2.00mm
Single-Use	CPFS218X	CPFS218A	CPFS218B	CPFS218C	CPFS218D	CPFS218P	CPFS218F	0.50mm
	CPFS219X	CPFS219A	CPFS219B	CPFS219C	CPFS219D	CPFS219P	CPFS219F	1.00mm
	CPFS220X	CPFS220A	CPFS220B	CPFS220C	CPFS220D	CPFS220P	CPFS220F	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM215T	CPFM215V	0.50mm
	CPFM216T	CPFM216V	1.00mm
	CPFM217T	CPFM217V	2.00mm
Single-Use	CPFS215T	CPFS215V	0.50mm
	CPFS216T	CPFS216V	1.00mm
	CPFS217T	CPFS217V	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	300mm	
Multi-Use	CPFM221X	CPFM221A	CPFM221B	CPFM221C	CPFM221D	CPFM221P	CPFM221F	0.50mm
	CPFM222X	CPFM222A	CPFM222B	CPFM222C	CPFM222D	CPFM222P	CPFM222F	1.00mm
	CPFM223X	CPFM223A	CPFM223B	CPFM223C	CPFM223D	CPFM223P	CPFM223F	2.00mm
Single-Use	CPFS221X	CPFS221A	CPFS221B	CPFS221C	CPFS221D	CPFS221P	CPFS221F	0.50mm
	CPFS222X	CPFS222A	CPFS222B	CPFS222C	CPFS222D	CPFS222P	CPFS222F	1.00mm
	CPFS223X	CPFS223A	CPFS223B	CPFS223C	CPFS223D	CPFS223P	CPFS223F	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

C-Tech Bipolar Instrumenmts

Elite Non-Stick Foreceps



	102mm	115mm	
Multi-Use	CPFM224T	CPFM224V	0.50mm
	CPFM225T	CPFM225V	1.00mm
	CPFM226T	CPFM226V	2.00mm
Single-Use	CPFS224T	CPFS224V	0.50mm
	CPFS225T	CPFS225V	1.00mm
	CPFS226T	CPFS226V	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	300mm	
Multi-Use	CPFM230X	CPFM230A	CPFM230B	CPFM230C	CPFM230D	CPFM230P	CPFM230F	0.50mm
	CPFM231X	CPFM231A	CPFM231B	CPFM231C	CPFM231D	CPFM231P	CPFM231F	1.00mm
	CPFM232X	CPFM232A	CPFM232B	CPFM232C	CPFM232D	CPFM232P	CPFM232F	2.00mm
Single-Use	CPFS230X	CPFS230A	CPFS230B	CPFS230C	CPFS230D	CPFS230P	CPFS230F	0.50mm
	CPFS231X	CPFS231A	CPFS231B	CPFS231C	CPFS231D	CPFS231P	CPFS231F	1.00mm
	CPFS232X	CPFS232A	CPFS232B	CPFS232C	CPFS232D	CPFS232P	CPFS232F	2.00mm

Box of 20 Units



	102mm	115mm	
Multi-Use	CPFM227T	CPFM227V	0.50mm
	CPFM228T	CPFM228V	1.00mm
	CPFM229T	CPFM229V	2.00mm
Single-Use	CPFS227T	CPFS227V	0.50mm
	CPFS228T	CPFS228V	1.00mm
	CPFS229T	CPFS229V	2.00mm

Box of 20 Units



	140mm	155mm	180mm	200mm	220mm	240mm	300mm	
Multi-Use	CPFM233X	CPFM233A	CPFM233B	CPFM233C	CPFM233D	CPFM233P	CPFM233F	0.50mm
	CPFM234X	CPFM234A	CPFM234B	CPFM234C	CPFM234D	CPFM234P	CPFM234F	1.00mm
	CPFM235X	CPFM235A	CPFM235B	CPFM235C	CPFM235D	CPFM235P	CPFM235F	2.00mm
Single-Use	CPFS233X	CPFS233A	CPFS233B	CPFS233C	CPFS233D	CPFS233P	CPFS233F	0.50mm
	CPFS234X	CPFS234A	CPFS234B	CPFS234C	CPFS234D	CPFS234P	CPFS234F	1.00mm
	CPFS235X	CPFS235A	CPFS235B	CPFS235C	CPFS235D	CPFS235P	CPFS235F	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length

02 C-Tech Bipolar Instrumenmts

Elite Non-Stick Foreceps



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM236A	CPFM236B	CPFM236C	CPFM236D	CPFM236P	0.50mm
	CPFM237A	CPFM237B	CPFM237C	CPFM237D	CPFM237P	1.00mm
	CPFM238A	CPFM238B	CPFM238C	CPFM238D	CPFM238P	2.00mm
Single-Use	CPFS236A	CPFS236B	CPFS236C	CPFS236D	CPFS236P	0.50mm
	CPFS237A	CPFS237B	CPFS237C	CPFS237D	CPFS237P	1.00mm
	CPFS238A	CPFS238B	CPFS238C	CPFS238D	CPFS238P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM239A	CPFM239B	CPFM239C	CPFM239D	CPFM239P	0.50mm
	CPFM240A	CPFM240B	CPFM240C	CPFM240D	CPFM240P	1.00mm
	CPFM241A	CPFM241B	CPFM241C	CPFM241D	CPFM241P	2.00mm
Single-Use	CPFS239A	CPFS239B	CPFS239C	CPFS239D	CPFS239P	0.50mm
	CPFS240A	CPFS240B	CPFS240C	CPFS240D	CPFS240P	1.00mm
	CPFS241A	CPFS241B	CPFS241C	CPFS241D	CPFS241P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM242A	CPFM242B	CPFM242C	CPFM242D	CPFM242P	0.50mm
	CPFM243A	CPFM243B	CPFM243C	CPFM243D	CPFM243P	1.00mm
	CPFM245A	CPFM245B	CPFM245C	CPFM245D	CPFM245P	2.00mm
Single-Use	CPFS242A	CPFS242B	CPFS242C	CPFS242D	CPFS242P	0.50mm
	CPFS243A	CPFS243B	CPFS243C	CPFS243D	CPFS243P	1.00mm
	CPFS245A	CPFS245B	CPFS245C	CPFS245D	CPFS245P	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available
Tip Sizes
0.25mm
0.75mm
1.25mm
2.50mm

Premium Forceps — Serial
C PF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

C-Tech Bipolar Instrumenmts

Elite Non-Stick Foreceps



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM246A	CPFM246B	CPFM246C	CPFM246D	CPFM246P	0.50mm
	CPFM247A	CPFM247B	CPFM247C	CPFM247D	CPFM247P	1.00mm
	CPFM248A	CPFM248B	CPFM248C	CPFM248D	CPFM248P	2.00mm
Single-Use	CPFS246A	CPFS246B	CPFS246C	CPFS246D	CPFS246P	0.50mm
	CPFS247A	CPFS247B	CPFS247C	CPFS247D	CPFS247P	1.00mm
	CPFS248A	CPFS248B	CPFS248C	CPFS248D	CPFS248P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM249A	CPFM249B	CPFM249C	CPFM249D	CPFM249P	0.50mm
	CPFM250A	CPFM250B	CPFM250C	CPFM250D	CPFM250P	1.00mm
	CPFM251A	CPFM251B	CPFM251C	CPFM251D	CPFM251P	2.00mm
Single-Use	CPFS249A	CPFS249B	CPFS249C	CPFS249D	CPFS249P	0.50mm
	CPFS250A	CPFS250B	CPFS250C	CPFS250D	CPFS250P	1.00mm
	CPFS251A	CPFS251B	CPFS251C	CPFS251D	CPFS251P	2.00mm

Box of 20 Units



	155mm	180mm	200mm	220mm	240mm	
Multi-Use	CPFM252A	CPFM252B	CPFM252C	CPFM252D	CPFM252P	0.50mm
	CPFM253A	CPFM253B	CPFM253C	CPFM253D	CPFM253P	1.00mm
	CPFM254A	CPFM254B	CPFM254C	CPFM254D	CPFM254P	2.00mm
Single-Use	CPFS252A	CPFS252B	CPFS252C	CPFS252D	CPFS252P	0.50mm
	CPFS253A	CPFS253B	CPFS253C	CPFS253D	CPFS253P	1.00mm
	CPFS254A	CPFS254B	CPFS254C	CPFS254D	CPFS254P	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

C: Cosil; PF: Premium Forceps; M/S: Multi-Use/Single-Use; XXX: Length; X: Serial

02 C-Tech Bipolar Instrumenmts

Elite TC-Tip Foreceps



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM255A	CPFM255B	CPFM255C	CPFM255D	CPFM255P	0.50mm	Box of 20 Units
	CPFM256A	CPFM256B	CPFM256C	CPFM256D	CPFM256P	1.00mm	
	CPFM257A	CPFM257B	CPFM257C	CPFM257D	CPFM257P	2.00mm	
Single-Use	CPFS255A	CPFS255B	CPFS255C	CPFS255D	CPFS255P	0.50mm	
	CPFS256A	CPFS256B	CPFS256C	CPFS256D	CPFS256P	1.00mm	
	CPFS257A	CPFS257B	CPFS257C	CPFS257D	CPFS257P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM261A	CPFM261B	CPFM261C	CPFM261D	CPFM261P	0.50mm	Box of 20 Units
	CPFM262A	CPFM262B	CPFM262C	CPFM262D	CPFM262P	1.00mm	
	CPFM263A	CPFM263B	CPFM263C	CPFM263D	CPFM263P	2.00mm	
Single-Use	CPFS261A	CPFS261B	CPFS261C	CPFS261D	CPFS261P	0.50mm	
	CPFS262A	CPFS262B	CPFS262C	CPFS262D	CPFS262P	1.00mm	
	CPFS263A	CPFS263B	CPFS263C	CPFS263D	CPFS263P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM258A	CPFM258B	CPFM258C	CPFM258D	CPFM258P	0.50mm	Box of 20 Units
	CPFM259A	CPFM259B	CPFM259C	CPFM259D	CPFM259P	1.00mm	
	CPFM260A	CPFM260B	CPFM260C	CPFM260D	CPFM260P	2.00mm	
Single-Use	CPFS258A	CPFS258B	CPFS258C	CPFS258D	CPFS258P	0.50mm	
	CPFS259A	CPFS259B	CPFS259C	CPFS259D	CPFS259P	1.00mm	
	CPFS260A	CPFS260B	CPFS260C	CPFS260D	CPFS260P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM264A	CPFM264B	CPFM264C	CPFM264D	CPFM264P	0.50mm	Box of 20 Units
	CPFM265A	CPFM265B	CPFM265C	CPFM265D	CPFM265P	1.00mm	
	CPFM266A	CPFM266B	CPFM266C	CPFM266D	CPFM266P	2.00mm	
Single-Use	CPFS264A	CPFS264B	CPFS264C	CPFS264D	CPFS264P	0.50mm	
	CPFS265A	CPFS265B	CPFS265C	CPFS265D	CPFS265P	1.00mm	
	CPFS266A	CPFS266B	CPFS266C	CPFS266D	CPFS266P	2.00mm	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial
C PF M/S XXX X
Cosil — Multi-Use/Single-Use — Length

02 C-Tech Bipolar Instrumenmts

Elite TC-Tip Foreceps



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM267A	CPFM267B	CPFM267C	CPFM267D	CPFM267P	0.50mm	Box of 20 Units
	CPFM268A	CPFM268B	CPFM268C	CPFM268D	CPFM268P	1.00mm	
	CPFM269A	CPFM269B	CPFM269C	CPFM269D	CPFM269P	2.00mm	
Single-Use	CPFS267A	CPFS267B	CPFS267C	CPFS267D	CPFS267P	0.50mm	
	CPFS268A	CPFS268B	CPFS268C	CPFS268D	CPFS268P	1.00mm	
	CPFS269A	CPFS269B	CPFS269C	CPFS269D	CPFS269P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM273A	CPFM273B	CPFM273C	CPFM273D	CPFM273P	0.50mm	Box of 20 Units
	CPFM274A	CPFM274B	CPFM274C	CPFM274D	CPFM274P	1.00mm	
	CPFM275A	CPFM275B	CPFM275C	CPFM275D	CPFM275P	2.00mm	
Single-Use	CPFS273A	CPFS273B	CPFS273C	CPFS273D	CPFS273P	0.50mm	
	CPFS274A	CPFS274B	CPFS274C	CPFS274D	CPFS274P	1.00mm	
	CPFS275A	CPFS275B	CPFS275C	CPFS275D	CPFS275P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM270A	CPFM270B	CPFM270C	CPFM270D	CPFM270P	0.50mm	Box of 20 Units
	CPFM271A	CPFM271B	CPFM271C	CPFM271D	CPFM271P	1.00mm	
	CPFM272A	CPFM272B	CPFM272C	CPFM272D	CPFM272P	2.00mm	
Single-Use	CPFS270A	CPFS270B	CPFS270C	CPFS270D	CPFS270P	0.50mm	
	CPFS271A	CPFS271B	CPFS271C	CPFS271D	CPFS271P	1.00mm	
	CPFS272A	CPFS272B	CPFS272C	CPFS272D	CPFS272P	2.00mm	



	155mm	180mm	200mm	220mm	240mm		
Multi-Use	CPFM276A	CPFM276B	CPFM276C	CPFM276D	CPFM276P	0.50mm	Box of 20 Units
	CPFM277A	CPFM277B	CPFM277C	CPFM277D	CPFM277P	1.00mm	
	CPFM278A	CPFM278B	CPFM278C	CPFM278D	CPFM278P	2.00mm	
Single-Use	CPFS276A	CPFS276B	CPFS276C	CPFS276D	CPFS276P	0.50mm	
	CPFS277A	CPFS277B	CPFS277C	CPFS277D	CPFS277P	1.00mm	
	CPFS278A	CPFS278B	CPFS278C	CPFS278D	CPFS278P	2.00mm	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Premium Forceps — Serial

C PF M/S XXX X

Cosil — Multi-Use/Single-Use — Length



DIATHERMY

ELECTROSURGICAL CABLES & PLUGS

DIATHERMY

ELECTROSURGICAL CABLES & PLUGS

Electrosurgery connecting cables serve as essential accessories that seamlessly link our precision instruments to diathermy machines, ensuring a stable and efficient transfer of electrical energy. Designed with high-quality materials for durability and reliability, these cables provide a secure connection that supports uninterrupted functionality and enhanced safety throughout electrosurgical procedures



The cables are often made with high-grade insulation materials such as silicone or thermoplastic elastomers, which withstand high temperatures and reduce the risk of accidental shocks or burns to surrounding tissues.





Designed to be flexible yet durable, these cables allow smooth maneuverability without compromising signal integrity or reliability, even in demanding surgical settings.

The conductors inside the cables are usually made from high-quality copper or similar conductive materials, minimizing resistance and ensuring accurate energy transfer.

They play a critical role in maintaining safety and effectiveness during procedures by securely transmitting high-frequency electrical currents with minimal loss or interference.

03 Diathermy Electrosurgical Cables and Plugs

Bipolar | Flat, Two Pool, Two Pin, Dual Fitting

Instruments Side ► ► / ▼ ▼ Genrator Side		Flat Plug	Flat Plug	Flat Plug	Two Pool	Two Pin	Two Pin Ang.	Dual Plug	Flat Ang.
 SIMENS: SUTTER BM50, ERBE T-SERIES: ERBE ACC/ICC 4MM	Multi-Use	CDCM101 - 3 Meter CDCM102 - 5 Meter	CDCM103 - 3 Meter CDCM104 - 5 Meter	CDCM105 - 3 Meter CDCM106 - 5 Meter	CDCM107 - 3 Meter CDCM108 - 5 Meter	CDCM109 - 3 Meter CDCM110 - 5 Meter	CDCM111 - 3 Meter CDCM112 - 5 Meter	CDCM113 - 3 Meter CDCM114 - 5 Meter	CDCM115 - 3 Meter CDCM116 - 5 Meter
	Single-Use	CDCS101 - 3 Meter CDCS102 - 5 Meter	CDCS103 - 3 Meter CDCS104 - 5 Meter	CDCS105 - 3 Meter CDCS106 - 5 Meter	CDCS107 - 3 Meter CDCS108 - 5 Meter	CDCS109 - 3 Meter CDCS110 - 5 Meter	CDCS111 - 3 Meter CDCS112 - 5 Meter	CDCS113 - 3 Meter CDCS114 - 5 Meter	CDCS115 - 3 Meter CDCS116 - 5 Meter
 ASSCULAP: WOLF: MARTIN BERCHTOLD: SUTTER BM780	Multi-Use	CDCM117 - 3 Meter CDCM118 - 5 Meter	CDCM119 - 3 Meter CDCM120 - 5 Meter	CDCM121 - 3 Meter CDCM122 - 5 Meter	CDCM123 - 3 Meter CDCM124 - 5 Meter	CDCM125 - 3 Meter CDCM126 - 5 Meter	CDCM127 - 3 Meter CDCM128 - 5 Meter	CDCM129 - 3 Meter CDCM130 - 5 Meter	CDCM131 - 3 Meter CDCM132 - 5 Meter
	Single-Use	CDCS117 - 3 Meter CDCS118 - 5 Meter	CDCS119 - 3 Meter CDCS120 - 5 Meter	CDCS121 - 3 Meter CDCS122 - 5 Meter	CDCS123 - 3 Meter CDCS124 - 5 Meter	CDCS125 - 3 Meter CDCS126 - 5 Meter	CDCS127 - 3 Meter CDCS128 - 5 Meter	CDCS129 - 3 Meter CDCS130 - 5 Meter	CDCS131 - 3 Meter CDCS132 - 5 Meter
 STANDARD INTERNATIONAL 4MM BANANA PLUG FITTING	Multi-Use	CDCM133 - 3 Meter CDCM134 - 5 Meter	CDCM135 - 3 Meter CDCM136 - 5 Meter	CDCM137 - 3 Meter CDCM138 - 5 Meter	CDCM139 - 3 Meter CDCM140 - 5 Meter	CDCM141 - 3 Meter CDCM142 - 5 Meter	CDCM143 - 3 Meter CDCM144 - 5 Meter	CDCM145 - 3 Meter CDCM146 - 5 Meter	CDCM147 - 3 Meter CDCM148 - 5 Meter
	Single-Use	CDCS133 - 3 Meter CDCS134 - 5 Meter	CDCS135 - 3 Meter CDCS136 - 5 Meter	CDCS137 - 3 Meter CDCS138 - 5 Meter	CDCS139 - 3 Meter CDCS140 - 5 Meter	CDCS141 - 3 Meter CDCS142 - 5 Meter	CDCS143 - 3 Meter CDCS144 - 5 Meter	CDCS145 - 3 Meter CDCS146 - 5 Meter	CDCS147 - 3 Meter CDCS148 - 5 Meter
 VALLEYLAB: LAMIDEY: EMC BOWA, ETHICON	Multi-Use	CDCM149 - 3 Meter CDCM150 - 5 Meter	CDCM151 - 3 Meter CDCM152 - 5 Meter	CDCM153 - 3 Meter CDCM154 - 5 Meter	CDCM155 - 3 Meter CDCM156 - 5 Meter	CDCM157 - 3 Meter CDCM158 - 5 Meter	CDCM159 - 3 Meter CDCM160 - 5 Meter	CDCM161 - 3 Meter CDCM162 - 5 Meter	CDCM163 - 3 Meter CDCM164 - 5 Meter
	Single-Use	CDCS149 - 3 Meter CDCS150 - 5 Meter	CDCS151 - 3 Meter CDCS152 - 5 Meter	CDCS153 - 3 Meter CDCS154 - 5 Meter	CDCS155 - 3 Meter CDCS156 - 5 Meter	CDCS157 - 3 Meter CDCS158 - 5 Meter	CDCS159 - 3 Meter CDCS160 - 5 Meter	CDCS161 - 3 Meter CDCS162 - 5 Meter	CDCS163 - 3 Meter CDCS164 - 5 Meter
 EMC: DOLLEY, ELLMAN	Multi-Use	CDCM165 - 3 Meter CDCM166 - 5 Meter	CDCM167 - 3 Meter CDCM168 - 5 Meter	CDCM169 - 3 Meter CDCM170 - 5 Meter	CDCM171 - 3 Meter CDCM172 - 5 Meter	CDCM173 - 3 Meter CDCM174 - 5 Meter	CDCM175 - 3 Meter CDCM176 - 5 Meter	CDCM177 - 3 Meter CDCM178 - 5 Meter	CDCM179 - 3 Meter CDCM180 - 5 Meter
	Single-Use	CDCS165 - 3 Meter CDCS166 - 5 Meter	CDCS167 - 3 Meter CDCS168 - 5 Meter	CDCS169 - 3 Meter CDCS170 - 5 Meter	CDCS171 - 3 Meter CDCS172 - 5 Meter	CDCS173 - 3 Meter CDCS174 - 5 Meter	CDCS175 - 3 Meter CDCS176 - 5 Meter	CDCS177 - 3 Meter CDCS178 - 5 Meter	CDCS179 - 3 Meter CDCS180 - 5 Meter
 VALLEYLAB (AUTOBIPOLAR MODELS ONLY)	Multi-Use	CDCM181 - 3 Meter CDCM182 - 5 Meter	CDCM183 - 3 Meter CDCM184 - 5 Meter	CDCM185 - 3 Meter CDCM186 - 5 Meter	CDCM187 - 3 Meter CDCM188 - 5 Meter	CDCM189 - 3 Meter CDCM190 - 5 Meter	CDCM191 - 3 Meter CDCM192 - 5 Meter	CDCM193 - 3 Meter CDCM194 - 5 Meter	CDCM195 - 3 Meter CDCM196 - 5 Meter
	Single-Use	CDCS181 - 3 Meter CDCS182 - 5 Meter	CDCS183 - 3 Meter CDCS184 - 5 Meter	CDCS185 - 3 Meter CDCS186 - 5 Meter	CDCS187 - 3 Meter CDCS188 - 5 Meter	CDCS189 - 3 Meter CDCS190 - 5 Meter	CDCS191 - 3 Meter CDCS192 - 5 Meter	CDCS193 - 3 Meter CDCS194 - 5 Meter	CDCS195 - 3 Meter CDCS196 - 5 Meter

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **Box of 25 Units**

Diathermy Cables — Serial
C DC M/S XXX
Cosil — Multi-Use/Single-Use

03 Diathermy Electrosurgical Cables and Plugs

Bipolar | Flat, Two Pool, Two Pin, Dual Fitting

Instruments Side ► ► / ▼ ▼ Genrator Side		4mm Female Plugs	4mm Male Plugs Fitting	2.4mm Female Ethicon	Block Connector Fitting
 SIMENS: SUTTER BM50, ERBE T-SERIES: ERBE ACC/ICC 4MM	Multi-Use	CDCM236 - 3 Meter CDCM237 - 5 Meter	CDCM238 - 3 Meter CDCM239 - 5 Meter	CDCM240 - 3 Meter CDCM241 - 5 Meter	CDCM242 - 3 Meter CDCM243 - 5 Meter
	Single-Use	CDCS236 - 3 Meter CDCS237 - 5 Meter	CDCS238 - 3 Meter CDCS239 - 5 Meter	CDCS240 - 3 Meter CDCS241 - 5 Meter	CDCS242 - 3 Meter CDCS243 - 5 Meter
 ASSCULAP: WOLF: MARTIN BERCHTOLD: SUTTER BM780	Multi-Use	CDCM244 - 3 Meter CDCM245 - 5 Meter	CDCM246 - 3 Meter CDCM247 - 5 Meter	CDCM248 - 3 Meter CDCM249 - 5 Meter	CDCM250 - 3 Meter CDCM251 - 5 Meter
	Single-Use	CDCS244 - 3 Meter CDCS245 - 5 Meter	CDCS246 - 3 Meter CDCS247 - 5 Meter	CDCS248 - 3 Meter CDCS249 - 5 Meter	CDCS250 - 3 Meter CDCS251 - 5 Meter
 STANDARD INTERNATIONAL 4MM BANANA PLUG FITTING	Multi-Use	CDCM252 - 3 Meter CDCM253 - 5 Meter	CDCM254 - 3 Meter CDCM255 - 5 Meter	CDCM256 - 3 Meter CDCM257 - 5 Meter	CDCM258 - 3 Meter CDCM259 - 5 Meter
	Single-Use	CDCS252 - 3 Meter CDCS253 - 5 Meter	CDCS254 - 3 Meter CDCS255 - 5 Meter	CDCS256 - 3 Meter CDCS257 - 5 Meter	CDCS258 - 3 Meter CDCS259 - 5 Meter
 VALLEYLAB: LAMIDEY: EMC BOWA, ETHICON	Multi-Use	CDCM260 - 3 Meter CDCM261 - 5 Meter	CDCM262 - 3 Meter CDCM263 - 5 Meter	CDCM264 - 3 Meter CDCM265 - 5 Meter	CDCM266 - 3 Meter CDCM267 - 5 Meter
	Single-Use	CDCS260 - 3 Meter CDCS261 - 5 Meter	CDCS262 - 3 Meter CDCS263 - 5 Meter	CDCS264 - 3 Meter CDCS265 - 5 Meter	CDCS266 - 3 Meter CDCS267 - 5 Meter
 EMC: DOLLEY, ELLMAN	Multi-Use	CDCM268 - 3 Meter CDCM269 - 5 Meter	CDCM270 - 3 Meter CDCM271 - 5 Meter	CDCM272 - 3 Meter CDCM273 - 5 Meter	CDCM274 - 3 Meter CDCM275 - 5 Meter
	Single-Use	CDCS268 - 3 Meter CDCS269 - 5 Meter	CDCS270 - 3 Meter CDCS271 - 5 Meter	CDCS272 - 3 Meter CDCS273 - 5 Meter	CDCS274 - 3 Meter CDCS275 - 5 Meter
 VALLEYLAB (AUTOBIPOLAR MODELS ONLY)	Multi-Use	CDCM276 - 3 Meter CDCM277 - 5 Meter	CDCM278 - 3 Meter CDCM279 - 5 Meter	CDCM280 - 3 Meter CDCM281 - 5 Meter	CDCM282 - 3 Meter CDCM283 - 5 Meter
	Single-Use	CDCS276 - 3 Meter CDCS277 - 5 Meter	CDCS278 - 3 Meter CDCS279 - 5 Meter	CDCS280 - 3 Meter CDCS281 - 5 Meter	CDCS282 - 3 Meter CDCS283 - 5 Meter

▼ ▼ Genrator Side ▼ ▼ Instruments Side

Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm



Multi-Use	Single-Use
CDCM284 - 3 Meter CDCM285 - 5 Meter	CDCS284 - 3 Meter CDCS285 - 5 Meter

Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm



Multi-Use	Single-Use
CDCM286 - 3 Meter CDCM287 - 5 Meter	CDCS286 - 3 Meter CDCS287 - 5 Meter

Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm



Multi-Use	Single-Use
CDCM288 - 3 Meter CDCM289 - 5 Meter	CDCS288 - 3 Meter CDCS289 - 5 Meter

4mm banana to 6mm Alsa Excel connector adapter for Alsa Excelgenerator



Multi-Use	Single-Use
CDCM290 - 3 Meter CDCM291 - 5 Meter	CDCS290 - 3 Meter CDCS291 - 5 Meter

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **Box of 25 Units**

Diathermy Cables — Serial
C DC M/S XXX
Cosil — Multi-Use/Single-Use

03 Diathermy Electrosurgical Cables and Plugs

Monopolar | International Fitting Plug, Adapter

Instruments Side ►► / ▼▼ Genrator Side		4mm Plug (Φ4mm, 4mm)	Special Edition (2.5mm, 8mm, 4mm)	3mm Plug (Φ3mm, 3mm)	4.8mm Plug (Φ4.8mm, 4.8mm)
 MARTIN: BERCHTOLD: ERBE T-SERIES, AESCULAP, SUTTER	Multi-Use	CDCM197 - 3 Meter CDCM198 - 5 Meter	CDCM199 - 3 Meter CDCM200 - 5 Meter	CDCM201 - 3 Meter CDCM202 - 5 Meter	CDCM203 - 3 Meter CDCM204 - 5 Meter
	Single-Use	CDCS197 - 3 Meter CDCS198 - 5 Meter	CDCS199 - 3 Meter CDCS200 - 5 Meter	CDCS201 - 3 Meter CDCS202 - 5 Meter	CDCS203 - 3 Meter CDCS204 - 5 Meter
 ERBE ACC/ICC	Multi-Use	CDCM205 - 3 Meter CDCM206 - 5 Meter	CDCM207 - 3 Meter CDCM208 - 5 Meter	CDCM209 - 3 Meter CDCM210 - 5 Meter	CDCM211 - 3 Meter CDCM212 - 5 Meter
	Single-Use	CDCS205 - 3 Meter CDCS206 - 5 Meter	CDCS207 - 3 Meter CDCS208 - 5 Meter	CDCS209 - 3 Meter CDCS210 - 5 Meter	CDCS-211 - 3 Meter CDCS-212 - 5 Meter
 VALLEYLAB: CONMED: BOVIE 8MM PLUG, BOWA, BARD	Multi-Use	CDCM213 - 3 Meter CDCM214 - 5 Meter	CDCM215 - 3 Meter CDCM216 - 5 Meter	CDCM217 - 3 Meter CDCM218 - 5 Meter	CDCM219 - 3 Meter CDCM220 - 5 Meter
	Single-Use	CDCS213 - 3 Meter CDCS214 - 5 Meter	CDCS215 - 3 Meter CDCS216 - 5 Meter	CDCS217 - 3 Meter CDCS218 - 5 Meter	CDCS219 - 3 Meter CDCS220 - 5 Meter
 MARTIN: BERCHTOLD:	Multi-Use	CDCM221 - 3 Meter CDCM222 - 5 Meter	CDCM223 - 3 Meter CDCM224 - 5 Meter	CDCM225 - 3 Meter CDCM226 - 5 Meter	CDCM227 - 3 Meter CDCM228 - 5 Meter
	Single-Use	CDCS221 - 3 Meter CDCS222 - 5 Meter	CDCS223 - 3 Meter CDCS224 - 5 Meter	CDCS225 - 3 Meter CDCS226 - 5 Meter	CDCS227 - 3 Meter CDCS228 - 5 Meter
 INTERNATIONAL 3 PIN PLUG DIATHERMY	Multi-Use	CDCM229 - 3 Meter CDCM230 - 5 Meter	N/A	N/A	CDCM231 - 3 Meter CDCM232 - 5 Meter
	Single-Use	CDCS229 - 3 Meter CDCS230 - 5 Meter	N/A	N/A	CDCS231 - 3 Meter CDCS232 - 5 Meter

Connecting Finger switch handles with 3 pin plugs, for ERBE T-Series generators.



CDC233

Connecting Finger switch handles with 3 pin plugs, for ERBE ACC / ICC, ERBE VIO generators.



CDC234

Connecting Finger switch handles with 3 pin plugs, for Martin, Integra generators



CDC235

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **Box of 25 Units**

Diathermy Cables — Serial
C DC M/S XXX
Cosil — Multi-Use/Single-Use



NON CONDUCTIVE

GYNAECOLOGY INSTRUMENTS

Insulated Gynecology Instruments: Our premium quality of instruments, including speculums, retractors, and hooks, are designed to enhance safety and precision in gynecology procedures. With advanced insulation technology, these instruments minimize the risk of electrical burns by preventing unintended electrical contact with surrounding tissues. The ergonomic design ensures ease of handling, while the insulated tips offer reliable performance for delicate procedures, providing optimal control and minimizing patient discomfort.



04 Non Conductive Gyne Instruments

Forceps, Speculum, Retractors, Hooks



Pederson Vaginal Speculum
with Smoke Evacuation Tube

Multi-Use		Single-Use	
CGIM101	SMALL	CGIS101	BOX OF 1 UNITS
CGIM102	MEDIUM	CGIS102	
CGIM103	Large	CGIS103	



Graves Vaginal Speculum
with Smoke Evacuation Tube

Multi-Use		Single-Use	
CGIM104	SMALL	CGIS104	BOX OF 1 UNITS
CGIM105	MEDIUM	CGIS105	
CGIM106	LARGE	CGIS106	



Cusco Speculum
with Smoke Evacuation Tube

Multi-Use		Single-Use	
CGIM107	SMALL	CGIS107	BOX OF 1 UNITS
CGIM108	MEDIUM	CGIS108	
CGIM109	LARGE	CGIS109	



Collin Speculum
with Smoke Evacuation Tube

Multi-Use		Single-Use	
CGIM110	SMALL	CGIS110	BOX OF 1 UNITS
CGIM111	MEDIUM	CGIS111	
CGIM112	LARGE	CGIS112	



Lateral Vaginal Retractor

Multi-Use		Single-Use	
CGIM113	SMALL	CGIS113	BOX OF 1 UNITS
CGIM114	MEDIUM	CGIS114	
CGIM115	LARGE	CGIS115	



Kogan Endocervical

Multi-Use		Single-Use	
CGIM116	SMALL	CGIS116	BOX OF 1 UNITS
CGIM117	MEDIUM	CGIS117	
CGIM118	LARGE	CGIS118	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Gyne Instruments — Serial
C GI M/S XXX
Cosil — Multi-Use/Single-Use

04 Non Conductive Gyne Instruments

Forceps, Speculum, Retractors, Hooks



Rigby Speculum

Multi-Use		Single-Use
CGIM119	SMALL	CGIS119
CGIM120	MEDIUM	CGIS120
CGIM121	LARGE	CGIS121

BOX OF 1 UNITS



Lateral Retractor

Multi-Use		Single-Use
CGIM122	SMALL	CGIS122
CGIM123	MEDIUM	CGIS123
CGIM124	LARGE	CGIS124

BOX OF 1 UNITS



Champion Forceps

Mat Finishing

Multi-Use		Single-Use
CGIM125	SMALL	CGIS125
CGIM126	MEDIUM	CGIS126
CGIM127	LARGE	CGIS127

BOX OF 1 UNITS



Ring Forceps

Mat Finishing

Multi-Use		Single-Use
CGIM128	SMALL	CGIS128
CGIM129	MEDIUM	CGIS129
CGIM130	LARGE	CGIS130

BOX OF 1 UNITS



Tooth Forceps 1/1

Mat Finishing

Multi-Use		Single-Use
CGIM131	SMALL	CGIS131
CGIM132	MEDIUM	CGIS132
CGIM133	Large	CGIS133

BOX OF 1 UNITS



Gelpi Retractors

Smooth Ratchet Integrated

Multi-Use		Single-Use
CGIM134	SMALL	CGIS134
CGIM135	MEDIUM	CGIS135
CGIM136	Large	CGIS136

BOX OF 1 UNITS

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Gyne Instruments — Serial
C GI M/S XXX
Cosil — Multi-Use/Single-Use

04 Non Conductive Gyne Instruments

Forceps, Speculum, Retractors, Hooks



Dressing Forcep

Multi-Use		Single-Use
CGIM137	155mm	CGIS137
CGIM138	180mm	CGIS138
CGIM139	210mm	CGIS139
CGIM140	250mm	CGIS140

BOX OF 20 UNITS



Tissue Forcep

Multi-Use		Single-Use
CGIM141	155mm	CGIS141
CGIM142	180mm	CGIS142
CGIM143	210mm	CGIS143
CGIM144	250mm	CGIS144

BOX OF 20 UNITS



Iris Hook

Multi-Use		Single-Use
CGIM145	155mm	CGIS145
CGIM146	180mm	CGIS146
CGIM147	210mm	CGIS147
CGIM148	250mm	CGIS148

BOX OF 20 UNITS



Stragiht Hook

Multi-Use		Single-Use
CGIM149	155mm	CGIS149
CGIM150	180mm	CGIS150
CGIM151	210mm	CGIS151
CGIM152	250mm	CGIS152

BOX OF 20 UNITS



Stragiht Hook 2

Multi-Use		Single-Use
CGIM153	155mm	CGIS153
CGIM154	180mm	CGIS154
CGIM155	210mm	CGIS155
CGIM156	250mm	CGIS156

BOX OF 20 UNITS



Stragiht Hook 3

Multi-Use		Single-Use
CGIM157	155mm	CGIS157
CGIM158	180mm	CGIS158
CGIM159	210mm	CGIS159
CGIM160	250mm	CGIS160

BOX OF 20 UNITS

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Gyne Instruments — Serial
C GI M/S XXX
Cosil — Multi-Use/Single-Use



DIATHERMY CAUTERY

HAND PIECE & ELECTRODES

The electrosurgical active handpiece delivers high-frequency energy for cutting and coagulating tissue. Ergonomically designed, it supports various electrodes and offers finger or foot control. Available in single-use and reusable options, it ensures precision and efficiency in surgeries.



Some designs incorporate a button or switch near the upper grip for fingertip control, allowing quick activation of various functions (e.g., cauterization, suction). The button is usually recessed slightly to prevent accidental activation.

The upper section often includes a textured or grooved grip surface that enhances handling, ensuring the user's fingers won't slip even in delicate procedures. Some models might use a rubberized or silicone coating for added comfort.

The bottom part often includes a secure locking or threaded mechanism that connects the shaft to the instrument handle, power source, or control console. This may be a twist-lock or snap-fit system, ensuring stability during use and preventing accidental detachment.

05 Diathermy Cautery Hand Piece and Electrodes

Hand Control Cautery Pencil



BOX OF 20 UNITS



4mm ERBE T-Series

Multi-Use		Single-Use
CDPM101	3M	CDPS101
CDPM102	5M	CDPS102



Martin, ERBE T-ASeries, Integra
Berchtold, Aesculap

Multi-Use		Single-Use
CDPM103	3M	CDPS103
CDPM104	5M	CDPS104



Valleylab, Bowa, ERBE ICC
ERBE Vio , Eschmann, Conmed

Multi-Use		Single-Use
CDPM105	3M	CDPS105
CDPM106	5M	CDPS106



5mm ERBE ACC Series Standard
ICC Series Vio, Karl Storz

Multi-Use		Single-Use
CDPM107	3M	CDPS107
CDPM108	5M	CDPS108



BOX OF 20 UNITS



4mm ERBE T-Series

Multi-Use		Single-Use
CDPM117	3M	CDPS117
CDPM118	5M	CDPS118



Martin, ERBE T-ASeries, Integra
Berchtold, Aesculap

Multi-Use		Single-Use
CDPM119	3M	CDPS119
CDPM120	5M	CDPS120



Valleylab, Bowa, ERBE ICC
ERBE Vio , Eschmann, Conmed

Multi-Use		Single-Use
CDPM121	3M	CDPS121
CDPM122	5M	CDPS122



5mm ERBE ACC Series Standard
ICC Series Vio, Karl Storz

Multi-Use		Single-Use
CDPM123	3M	CDPS123
CDPM124	5M	CDPS124



BOX OF 20 UNITS



4mm ERBE T-Series

Multi-Use		Single-Use
CDPM109	3M	CDPS109
CDPM110	5M	CDPS110



Martin, ERBE T-ASeries, Integra
Berchtold, Aesculap

Multi-Use		Single-Use
CDPM111	3M	CDPS111
CDPM112	5M	CDPS112



Valleylab, Bowa, ERBE ICC
ERBE Vio , Eschmann, Conmed

Multi-Use		Single-Use
CDPM113	3M	CDPS113
CDPM114	5M	CDPS114



5mm ERBE ACC Series Standard
ICC Series Vio, Karl Storz

Multi-Use		Single-Use
CDPM115	3M	CDPS115
CDPM116	5M	CDPS116



BOX OF 20 UNITS



4mm ERBE T-Series

Multi-Use		Single-Use
CDPM125	3M	CDPS125
CDPM126	5M	CDPS126



Martin, ERBE T-ASeries, Integra
Berchtold, Aesculap

Multi-Use		Single-Use
CDPM127	3M	CDPS127
CDPM128	5M	CDPS128



Valleylab, Bowa, ERBE ICC
ERBE Vio , Eschmann, Conmed

Multi-Use		Single-Use
CDPM129	3M	CDPS129
CDPM130	5M	CDPS130



5mm ERBE ACC Series Standard
ICC Series Vio, Karl Storz

Multi-Use		Single-Use
CDPM131	3M	CDPS131
CDPM132	5M	CDPS132

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand







05 Diathermy Cautery Hand Piece and Electrodes

Foot Control Cautery Pencil



BOX OF 20 UNITS



4mm International, Bowa, ICC
ERBE Vio , Eschmann, Conmed

Multi-Use		Single-Use
CDPM133	3M	CDPS133
CDPM134	5M	CDPS134



8mm ERBE T-Series
Valleylab, ERBE Int'l

Multi-Use		Single-Use
CDPM135	3M	CDPS135
CDPM136	5M	CDPS136



5mm ERBE ACC Series Standard
ICC Series Vio,Karl Storz

Multi-Use		Single-Use
CDPM137	3M	CDPS137
CDPM138	5M	CDPS138



Martin, ERBE T-Series, Integra
Berchtold, Aesculap

Multi-Use		Single-Use
CDPM139	3M	CDPS139
CDPM140	5M	CDPS140



BOX OF 20 UNITS



4mm International, Bowa, ICC
ERBE Vio , Eschmann, Conmed

Multi-Use		Single-Use
CDPM149	3M	CDPS149
CDPM150	5M	CDPS-150



8mm ERBE T-Series
Valleylab, ERBE Int'l

Multi-Use		Single-Use
CDPM151	3M	CDPS151
CDPM152	5M	CDPS152



5mm ERBE ACC Series Standard
ICC Series Vio,Karl Storz

Multi-Use		Single-Use
CDPM153	3M	CDPS153
CDPM154	5M	CDPS154



Martin, ERBE T-Series, Integra
Berchtold, Aesculap

Multi-Use		Single-Use
CDPM155	3M	CDPS155
CDPM156	5M	CDPS156



BOX OF 20 UNITS



4mm International, Bowa, ICC
ERBE Vio , Eschmann, Conmed

Multi-Use		Single-Use
CDPM141	3M	CDPS141
CDPM142	5M	CDPS142



8mm ERBE T-Series
Valleylab, ERBE Int'l

Multi-Use		Single-Use
CDPM143	3M	CDPS143
CDPM144	5M	CDPS144



5mm ERBE ACC Series Standard
ICC Series Vio,Karl Storz

Multi-Use		Single-Use
CDPM145	3M	CDPS145
CDPM146	5M	CDPS146



Martin, ERBE T-Series, Integra
Berchtold, Aesculap

Multi-Use		Single-Use
CDPM147	3M	CDPS147
CDPM148	5M	CDPS148

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand







05 Diathermy Cautery Hand Piece and Electrodes

Foot Control Cautery Pencil



BOX OF 20 UNITS



MARTIN: BERCHTOLD: ERBE T-SERIES, Aesculap, Sutter

Multi-Use		Single-Use
CDPM157	3M	CDPS157
CDPM158	5M	CDPS158



VALLEYLAB: CONMED: BOVIE 8mm plug, Sowa, Sard

Multi-Use		Single-Use
CDPM159	3M	CDPS159
CDPM160	5M	CDPS160



INTERNATIONAL 3 PIN PLUG DIATHERMY

Multi-Use		Single-Use
CDPM165	3M	CDPS165
CDPM166	5M	CDPS166



ERBE ACC/ICC

Multi-Use		Single-Use
CDPM161	3M	CDPS161
CDPM162	5M	CDPS162



MARTIN: BERCHTOLD:

Multi-Use		Single-Use
CDPM163	3M	CDPS163
CDPM164	5M	CDPS164



BOX OF 20 UNITS



MARTIN: BERCHTOLD: ERBE T-SERIES, Aesculap, Sutter

Multi-Use		Single-Use
CDPM177	3M	CDPS177
CDPM178	5M	CDPS178



VALLEYLAB: CONMED: BOVIE 8mm plug, Sowa, Sard

Multi-Use		Single-Use
CDPM179	3M	CDPS179
CDPM180	5M	CDPS180



INTERNATIONAL 3 PIN PLUG DIATHERMY

Multi-Use		Single-Use
CDPM185	3M	CDPS185
CDPM186	5M	CDPS186



ERBE ACC/ICC

Multi-Use		Single-Use
CDPM181	3M	CDPS181
CDPM182	5M	CDPS182



MARTIN: BERCHTOLD:

Multi-Use		Single-Use
CDPM183	3M	CDPS183
CDPM184	5M	CDPS184





BOX OF 20 UNITS



MARTIN: BERCHTOLD: ERBE T-SERIES, Aesculap, Sutter

Multi-Use		Single-Use
CDPM167	3M	CDPS167
CDPM168	5M	CDPS168



VALLEYLAB: CONMED: BOVIE 8mm plug, Sowa, Sard

Multi-Use		Single-Use
CDPM169	3M	CDPS169
CDPM170	5M	CDPS170



INTERNATIONAL 3 PIN PLUG DIATHERMY

Multi-Use		Single-Use
CDPM175	3M	CDPS175
CDPM176	5M	CDPS176



ERBE ACC/ICC

Multi-Use		Single-Use
CDPM171	3M	CDPS171
CDPM172	5M	CDPS172



MARTIN: BERCHTOLD:

Multi-Use		Single-Use
CDPM173	3M	CDPS173
CDPM174	5M	CDPS174

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand







05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Non-Stick Electrodes

BOX OF 50 UNITS Multi-Use	Single-Use				BOX OF 50 UNITS Multi-Use	Single-Use
CDEM190	CDES190	 Needle electrodes, Straight	**4mm Shaft**	 Knife Electrodes, Straight	CDEM191	CDES191
CDEM191	CDES192	 Lancet electrodes, Straight	**4mm Shaft**	 Blade Electrodes, Straight	CDEM193	CDES193
CDEM194	CNES194	 Wire Loop electrodes, Straight	**4mm Shaft**	 Wire Loop electrodes, Straight	CDEM195	CDES195
CDEM196	CDES196	 Wire Loop electrodes, Straight	**4mm Shaft**	 Ball Electrodes, Straight	CDEM197	CDES197
CDEM198	CDES198	 Ball Electrodes, Straight	**4mm Shaft**	 Ball Electrodes, Straight	CDEM199	CDES199
CDEM200	CDES200	 Needle electrodes, Straight	**2.4mm Shaft**	 Knife Electrodes, Straight	CDEM201	CDES201
CDEM202	CDES202	 Lancet Electrodes, Straight	**2.4mm Shaft**	 Blade Electrodes, Straight	CDEM203	CDES203

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Non- Stick Electrodes

BOX OF 50 UNITS Multi-Use	Single-Use				BOX OF 50 UNITS Multi-Use	Single-Use
CDEM204	CDES204	 Wire Loop electrodes, Straight	**2.4mm Shaft**	 Wire Loop electrodes, Straight	CDEM205	CDES205
CDEM206	CDES206	 Wire Loop electrodes, Straight	**2.4mm Shaft**	 Ball Electrodes, Straight	CDEM207	CDES207
CDEM208	CNES208	 Ball Electrodes, Straight	**2.4mm Shaft**	 Ball Electrodes, Straight	CDEM209	CDES1209
CDEM210	CDES210	 Needle electrodes, Straight	**2.38mm Shaft**	 Blade Electrodes, Straight	CDEM211	CDES211
CDEM212	CDES212	 Needle electrodes, Straight	**2.38mm Shaft**	 Needle Electrodes, Straight	CDEM213	CDES213
CDEM214	CDES214	 Needle electrodes, Straight	**2.38mm Shaft**	 Needle electrodes, Straight	CDEM215	CDES215
CDEM216	CDES216	 Needle electrodes, Straight	**2.38mm Shaft**	 Ball Electrodes, Straight	CDEM217	CDES217

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4/1 KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Non- Stick Electrodes

BOX OF 50 UNITS Multi-Use CDEM218	Single-Use CDES218	 Needle Electrodes, Insulated 45° Angled	**1.6mm Shaft**	 Needle Electrodes, Insulated 45° Angled	BOX OF 50 UNITS Multi-Use CDEM219	Single-Use CDES219
Multi-Use CDEM220	Single-Use CDES220	 Needle Electrodes, Insulated 45° Angled	**1.6mm Shaft**	 Needle Electrodes, Insulated 45° Angled	Multi-Use CDEM221	Single-Use CDES221
Multi-Use CDEM222	Single-Use CNES222	 Needle Electrodes, Insulated 90° Angled	**1.6mm Shaft**	 Wire Loop electrodes, Straight Triangle	Multi-Use CDEM223	Single-Use CDES223
Multi-Use CDEM224	Single-Use CDES224	 Wire Loop electrodes	**1.6mm Shaft**	 Wire Loop electrodes	Multi-Use CDEM225	Single-Use CDES225
Multi-Use CDEM226	Single-Use CDES226	 Wire Loop electrodes	**1.6mm Shaft**			

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 1KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS Multi-Use CDEM232	Single-Use CDES232	 Knife Electrodes	**4mm Shaft**	 Lancet-Cutting Electrodes	BOX OF 50 UNITS Multi-Use CDEM233	Single-Use CDES233
Multi-Use CDEM234	Single-Use CDES234	 Lancet-Cutting Electrodes	**4mm Shaft**	 Lancet-Cutting Electrodes	Multi-Use CDEM235	Single-Use CDES235
Multi-Use CDEM236	Single-Use CNES236	 Spatula Electrodes, Oval Shape	**4mm Shaft**	 Knife Electrodes, Classic	Multi-Use CDEM237	Single-Use CDES237
Multi-Use CDEM238	Single-Use CDES238	 Knife Electrodes	**4mm Shaft**	 Knife Electrodes, Angular	Multi-Use CDEM239	Single-Use CDES239
Multi-Use CDEM240	Single-Use CDES240	 Knife Electrode, Lancet	**4mm Shaft**	 Blade Electrodes	Multi-Use CDEM241	Single-Use CDES241
Multi-Use CDEM242	Single-Use CDES242	 Needle Electrodes, Insulated 10MM WL	**4mm Shaft**	 Needle Electrodes	Multi-Use CDEM243	Single-Use CDES243
Multi-Use CDEM244	Single-Use CDES244	 Needle Electrode	**4mm Shaft**	 Needle Electrode	Multi-Use CDEM245	Single-Use CDES245

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4 KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS					BOX OF 50 UNITS	
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM246	CDES246	 Needle Electrode	**4mm Shaft**	 Needle Electrode	CDEM247	CDES247
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM248	CDES248	 Needle Electrode	**4mm Shaft**	 Wire Electrode	CDEM249	CDES249
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM250	CNES250	 Wire Electrode	**4mm Shaft**	 Ribbon Loop Electrode	CDEM251	CDES251
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM252	CDES252	 Ribbon Loop Electrode	**4mm Shaft**	 Ball Electrode	CDEM253	CDES253
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM254	CDES254	 Ball Electrode	**4mm Shaft**	 Ball Electrode	CDEM255	CDES255
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM256	CDES256	 Ball Electrode, Angular	**4mm Shaft**	 Ball Electrode, Angular	CDEM257	CDES257
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM258	CDES258	 Tungusten Electrode, Striaght	**4mm Shaft**	 Tungusten Electrode, Angle	CDEM259	CDES259

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS					BOX OF 50 UNITS	
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM260	CDES260	 Wire Loop Electrode, Triangular	4mm Shaft	 Wire Loop Electrode, Triangular	CDEM261	CDES261
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM262	CDES262	 Wire Loop Electrode, Rohombic	4mm Shaft	 Wire Loop Electrode	CDEM263	CDES263
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM264	CNES264	 Wire Loop Electrode	4mm Shaft	 Wire Loop Electrode	CDEM265	CDES265
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM266	CDES266	 Needle Electrode	4mm Shaft	 Ball Electrode	CDEM267	CDES267
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM268	CDES268	 Ball Electrode	4mm Shaft	 Ball Electrode	CDEM269	CDES269
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM270	CDES270	 Ball Electrode	4mm Shaft	 Spatula Electrode	CDEM271	CDES271

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Steel Electrodes

BOX OF 50 UNITS					BOX OF 50 UNITS	
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM272	CDES272	 Ball electrode	**4mm Shaft**	 Ball electrode	CDEM273	CDES273
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM274	CDES274	 Ball electrode	**4mm Shaft**	 Wire loop electrode	CDEM275	CDES275
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM276	CDES276	 Wire loop electrode	**4mm Shaft**	 Wire loop electrode	CDEM277	CDES277
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM278	CNES278	 Ribbon loop electrode	**4mm Shaft**	 Ribbon loop electrode	CDEM279	CDES279
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM280	CDES280	 Ribbon loop electrode	**4mm Shaft**	 Lancet electrode, Stright	CDEM281	CDES281
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM282	CDES282	 LANCET ELECTRODE ANGULAR	**4mm Shaft**	 Knife electrode	CDEM283	CDES283
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM284	CDES284	 Knife electrode	**4mm Shaft**	 Needle electrode	CDEM285	CDES285

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS Multi-Use CDEM286	Single-Use CDES286	 Ball electrode	**2.4mm Shaft**	 Ball electrode	BOX OF 50 UNITS Multi-Use CDEM287	Single-Use CDES287
Multi-Use CDEM288	Single-Use CDES288	 Ball electrode	**2.4mm Shaft**	 Ball electrode	Multi-Use CDEM289	Single-Use CDES289
Multi-Use CDEM290	Single-Use CNES290	 Ball electrode	**2.4mm Shaft**		Multi-Use CDEM291	Single-Use CDES291
Multi-Use CDEM292	Single-Use CDES292		**2.4mm Shaft**	 Ball electrode	Multi-Use CDEM293	Single-Use CDES293
Multi-Use CDEM294	Single-Use CDES294	 Blade Electrode	**2.4mm Shaft**	 Spatula electrode	Multi-Use CDEM295	Single-Use CDES295
Multi-Use CDEM296	Single-Use CDES296	 Needle electrode	**2.4mm Shaft**	 Needle electrode	Multi-Use CDEM297	Single-Use CDES297
Multi-Use CDEM298	Single-Use CDES298	 Tungsten electrode, Angled	**2.4mm Shaft**	 Tungsten electrode	Multi-Use CDEM299	Single-Use CDES299

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 2KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS					BOX OF 50 UNITS	
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM300	CDES300	 Needle electrode with ceramic isolationg & Tungsten needle	**2.4mm Shaft**	 Needle electrode	CDEM301	CDES301
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM302	CDES302	 Wire loop electrode , Triangular	**2.4mm Shaft**	 Wire loop electrode , Rohmbic	CDEM303	CDES303
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM304	CNES304	 Spatula electrode	**2.4mm Shaft**	 Wire loop electrode , Triangular	CDEM305	CDES305
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM306	CDES306	 Wire loop electrode	**2.4mm Shaft**	 Wire loop electrode	CDEM307	CDES307
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM308	CDES308	 Ribbon loop electrode	**2.4mm Shaft**	 Wire loop electrode	CDEM309	CDES309
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM310	CDES310	 Ribbon loop electrode	**2.4mm Shaft**	 Ribbon loop electrode	CDEM311	CDES311
Multi-Use	Single-Use				Multi-Use	Single-Use
CDEM312	CDES312	 Ball electrode	**2.4mm Shaft**	 Ball electrode	CDEM313	CDES313

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 2KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS Multi-Use	Single-Use				BOX OF 50 UNITS Multi-Use	Single-Use
CDEM314	CDES314	 Electrode coagulating and fluguration	**1.6mm Shaft**	 Wire loop electrode 3mm	CDEM315	CDES315
CDEM316	CDES316	 Wire loop electrode	**1.6mm Shaft**	 Wire loop electrode	CDEM317	CDES317
CDEM318	CNES318	 Needle electrode wired WL 5mm	**1.6mm Shaft**	 Needle electrode wired,Angled 45° WL 5mm	CDEM319	CDES319
CDEM320	CDES320	 Coagulation Needle electrode, Angled 45° WL 5mm	**1.6mm Shaft**	 Ball electrode, Angled 45°	CDEM321	CDES321
CDEM322	CDES322	 Ball electrode	**1.6mm Shaft**	 Ball electrode	CDEM323	CDES323
CDEM324	CDES324	 Ball electrode	**1.6mm Shaft**	 Ball electrode	CDEM325	CDES325
CDEM326	CDES326	 Ball electrode, Angled 45°	**2.38mm Shaft**	 Wire loop electrode, Triangular	CDEM327	CDES327

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 1KVP**

C DE M/S XXX
C: Cosil
DE: Diathermy Electrodes
M/S: Multi-Use/Single-Use
XXX: Serial

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

Multi-Use CDEM328	Single-Use CNES328	 Wire loop electrode, Triangular	**2.38mm Shaft**	 Wire loop electrode	Multi-Use CDEM329	Single-Use CDES329
Multi-Use CDEM330	Single-Use CDES330	 Wire loop electrode, Rohimbic	**2.38mm Shaft**	 Wire loop electrode	Multi-Use CDEM331	Single-Use CDES331
Multi-Use CDEM332	Single-Use CDES332	 Wire loop electrode, Rohimbic	**2.38mm Shaft**	 Ball electrode	Multi-Use CDEM333	Single-Use CDES333
Multi-Use CDEM334	Single-Use CDES334	 Spatula electrode	**2.38mm Shaft**	 Needle electrodes, Straight	Multi-Use CDEM335	Single-Use CNES335

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 1KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS

Multi-Use	Single-Use				
CDEM336	CDES336	160mm	5mm	Wire loop electrode	4mm Shaft
CDEM337	CDES337	160mm	10mm	Wire loop electrode	4mm Shaft
CDEM338	CDES338	160mm	15mm	Wire loop electrode	4mm Shaft
CDEM339	CDES339	140mm	2mm	Ball electrode	4mm Shaft
CDEM340	CDES340	140mm	4mm	Ball electrode	4mm Shaft
CDEM341	CDES341	140mm	8mm	Wire loop electrode	4mm Shaft
CDEM342	CNES342	140mm	0.8X12mm	Needle electrodes	4mm Shaft

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS Multi-Use CDEM343	Single-Use CDES343	140mm	0.8X12mm	**4mm Shaft**	Needle electrode, Angled
Multi-Use CDEM344	Single-Use CDES344	140mm	2.4X10mm	**4mm Shaft**	Knife electrode
Multi-Use CDEM345	Single-Use CDES345	140mm	2.4X10mm	**4mm Shaft**	Knife electrode, Angled
Multi-Use CDEM346	Single-Use CDES346	140mm	3.3X25mm	**4mm Shaft**	Knife electrode
Multi-Use CDEM347	Single-Use CDES347	140mm	3.3X20mm	**4mm Shaft**	Knife Electrode
Multi-Use CDEM348	Single-Use CDES348	140mm	2.4X20mm	**4mm Shaft**	Knife Electrode
Multi-Use CDEM349	Single-Use CNES349	140mm	16X20mm	**4mm Shaft**	Lancet Electrode

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS

Multi-Use	Single-Use				
CDEM350	CDES350	140mm	4mm Shaft	Knife Electrode	2.2X20mm
CDEM351	CDES351	100mm	4mm Shaft	Spatula Electrode	2X16mm
CDEM352	CDES352	160mm	4mm Shaft	Loop Electrode	10X10mm
CDEM353	CDES353	160mm	4mm Shaft	Loop Electrode	15X15mm
CDEM354	CDES354	160mm	4mm Shaft	Loop Electrode	15X20mm
CDEM355	CDES355	160mm	4mm Shaft	Loop Electrode	20X20mm
CDEM356	CDES356	160mm	4mm Shaft	Loop Electrode	20X25mm

BOX OF 50 UNITS

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS

Multi-Use	Single-Use			
CDEM357	CDES357	160mm	10mm	BOX OF 50 UNITS
CDEM358	CDES358	160mm	15mm	
CDEM39	CDES359	160mm	20mm	
CDEM3560	CDES360	160mm	25mm	
CDEM361	CDES3561	160mm	30mm	



Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS Multi-Use CDEM362 Single-Use CDES362		4mm Shaft	Loop Electrode BOX OF 50 UNITS
Multi-Use CDEM363 Single-Use CDES363		4mm Shaft	Loop Electrode
Multi-Use CDEM364 Single-Use CDES364		4mm Shaft	Loop Electrode
Multi-Use CDEM365 Single-Use CDES365		4mm Shaft	Coagulation Needle electrodes
Multi-Use CDEM366 Single-Use CDES366		4mm Shaft	Coagulation Ball electrodes

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5/4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes Extensions

BOX OF 50 UNITS

Multi-Use CDEM370	Single-Use CDES370	 4mm Extention To Insert 2.4mm Electrode Shaft With Cage **4mm Shaft**	
Multi-Use CDEM371	Single-Use CDES371	 4mm 2.4mm 4mm Extension To Insert 1.6mm Electrode **4mm Shaft**	 4mm1.6mm 4mm Extension To Insert 2.4mm Electrode
Multi-Use CDEM372	Single-Use CDES372		
Multi-Use CDEM373	Single-Use CNES373	 2.4mm Extension To Insert 4mm Electrode Shaft With Cage **4mm Shaft**	
Multi-Use CDEM374	Single-Use CDES374	 2.4mm Extension To Insert 1.6mm Electrode Shaft With Cage	
Multi-Use CDEM375	Single-Use CDES375	 2x1.6mm 2.4x20mm Spatula Electrode **2.4mmShaft**	
Multi-Use CDEM376	Single-Use CDES376	 2.4x10mm 3.3x25mm Knife Electrode **2.4mmShaft**	
Multi-Use CDEM377	Single-Use CDES377	 0.8x12mm 0.5x20mm Needle Electrode **2.4mmShaft**	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS				
Multi-Use	Single-Use			
CDEM378	CDES378	140mm	2mm	
		2.4mm Shaft	Ball electrode	
Multi-Use	Single-Use			
CDEM379	CDES379	140mm	4mm	
		2.4mm Shaft	Ball electrode	
Multi-Use	Single-Use			
CDEM380	CNES380	140mm	6mm	
		2.4mm Shaft	Ball electrode	
Multi-Use	Single-Use			
CDEM381	CDES381	140mm	8mm	
		2.4mm Shaft	Ball electrode	
Multi-Use	Single-Use			
CDEM382	CDES382	160mm	**10x25mm**	
		2.4mm Shaft	Loop Electrode	
Multi-Use	Single-Use			
CDEM383	CDES383	160mm	**15x25mm**	
		2.4mm Shaft	Loop Electrode	
Multi-Use	Single-Use			
CDEM384	CDES384	160mm	**20x25mm**	
		2.4mm Shaft	Loop Electrode	

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4/0.5KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS

Multi-Use CDEM385	Single-Use CDES385		
Multi-Use CDEM386	Single-Use CDES386		
Multi-Use CDEM387	Single-Use CNES387		
Multi-Use CDEM388	Single-Use CDES388		
Multi-Use CDEM389	Single-Use CDES389		
Multi-Use CDEM390	Single-Use CDES390		

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Active Monopolar Electrodes

BOX OF 50 UNITS Multi-Use CDEM391 Single-Use CDES391		
Multi-Use CDEM392 Single-Use CDES392		
Multi-Use CDEM393 Single-Use CNES393		
Multi-Use CDEM394 Single-Use CDES394		

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Microdissection Needle Electrodes

BOX OF 50 UNITS				BOX OF 50 UNITS	
Multi-Use	Single-Use			Multi-Use	Single-Use
CDEM398	CDES398	 0.25x4mm	Microdissection Needle Electrode, Flexible, 45°, Tungsten **2.4mmShaft**	CDEM399	CDES399
		 0.25x4mm	Microdissection Needle Electrode, Flexible, Tungsten		
Multi-Use	Single-Use	 0.25x4mm	Microdissection Needle Electrode, Flexible, 45°, Tungsten	Multi-Use	Single-Use
CDEM400	CDES400	 100mm 0.25x4mm	**2.4mmShaft** Microdissection Needle Electrode, Flexible, Tungsten	CDEM401	CDES401
Multi-Use	Single-Use	 100mm 0.25x4mm	Microdissection Needle Electrode, Flexible, 45°, Tungsten **2.4mmShaft**		
CDEM402	CNES402				
Multi-Use	Single-Use	 100mm 0.25x4mm	Microdissection Needle Electrode, Flexible, Tungsten **2.4mmShaft**		
CDEM403	CDES403				
Multi-Use	Single-Use	 100mm 0.25x4mm	Microdissection Needle Electrode, Flexible, 45°, Tungsten **2.4mmShaft**		
CDEM404	CDES404	 0.25x4mm	Microdissection Needle Electrode, Flexible, Tungsten	Multi-Use CDEM405	Single-Use CDES405
Multi-Use	Single-Use	 100mm 0.25x4mm	Microdissection Needle Electrode, Flexible, 45°, Tungsten **4mmShaft**		
CDEM406	CDES406				
Multi-Use	Single-Use	 100mm	Microdissection Needle Electrode, Needle Flexible, Tungsten **4mmShaft**		
CDEM407	CDES407				

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 0.5KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Microdissection Needle Electrodes

BOX OF 50 UNITS		
Multi-Use	Single-Use	
CDEM408	CDES408	 0.25x4mm Microdissection Needle Electrode, Flexible, Tungsten
Multi-Use	Single-Use	
CDEM409	CDES409	 100mm 0.25x4mm Microdissection Needle Electrode Flexible, Tungsten **4mmShaft**
Multi-Use	Single-Use	
CDEM410	CDES410	 100mm 0.25x4mm Microdissection Needle Electrode Flexible, Tungsten **4mmShaft**
Multi-Use	Single-Use	
CDEM411	CDES411	 0.25x4mm Microdissection Needle Electrode, Flexible, 45°, Tungsten **4mmShaft**
Multi-Use	Single-Use	
CDEM412	CNES412	 0.25x4mm Microdissection Needle Electrode, Flexible, 45°, Tungsten **4mmShaft**
Multi-Use	Single-Use	
CDEM413	CDES413	 100mm 0.25x4mm Microdissection Needle Electrode, Flexible, 45°, Tungsten **4mmShaft**

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 2KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Microdissection Needle Electrodes

BOX OF 50 UNITS

Multi-Use	Single-Use
CDEM414	CDES414



Tungsten Needle Electrode, With Ceramic, Angular **4mmShaft**

Multi-Use	Single-Use
CDEM415	CDES415



Tungsten Needle Electrode, With Ceramic **4mmShaft**

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 2KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Arthoscopic Electrodes



BOX OF 50 UNITS

Multi-Use	Single-Use
CDEM416	CDES416

Needle Electrode, 90° Angled, 1.5 Mm



Multi-Use	Single-Use
CDEM417	CDES417

Needle Electrode, 90° Angled,



Multi-Use	Single-Use
CDEM418	CDES418

Knife Electrode, 45° Angled



Multi-Use	Single-Use
CDEM419	CDES419

Button Electrode, 90° Angled,



Multi-Use	Single-Use
CDEM420	CNES420

Ball Electrode



Multi-Use	Single-Use
CDEM421	CDES421



Phazer Hollow Ball Electrode Curved 70°

Multi-Use	Single-Use
CDEM422	CDES422



Phazer, Brush Electrode Serrated

Multi-Use	Single-Use
CDEM423	CDES423



Phazer Flate Electrode Curved 70°

Multi-Use	Single-Use
CDEM424	CDES424



BOX OF 50 UNITS

Multi-Use	Single-Use
CDEM425	CDES425

Needle Electrode, 90° Angled



Multi-Use	Single-Use
CDEM426	CDES426

Needle Electrode, 90° Angled



Multi-Use	Single-Use
CDEM427	CDES427

Knife Electrode, 45° Angled



Multi-Use	Single-Use
CDEM428	CNES428

Button Electrode, 90° Angled,



Multi-Use	Single-Use
CDEM429	CDES429

Ball Electrode



Multi-Use	Single-Use
CDEM430	CDES430



Phazer, Flate Electrode Curved 70°

Multi-Use	Single-Use
CDEM431	CDES431



Phazer, hollow ball electrode curved 70°

Multi-Use	Single-Use
CDEM432	CDES432



Phazer, brush electrode serrated

Multi-Use	Single-Use
CDEM433	CDES433

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Arthoscopic Electrodes

BOX OF 50 UNITS Multi-Use CDEM434	Single-Use CDES434	 Needle Electrode 1 `90° Angular With Handle **2.4mmShaft**
Multi-Use CDEM435	Single-Use CDES435	 Needle Electrode 90° Angular With Handle **2.4mmShaft**
Multi-Use CDEM436	Single-Use CNES436	 Knife Electrode 45° Angled Length 115 Mm **2.4mmShaft**
Multi-Use CDEM413	Single-Use CDES413	 Button Electrode With Handle 90° Angled Length 115 Mm **2.4mmShaft**
Multi-Use CDEM437	Single-Use CDES437	 Ball Electrode With Handle **2.4mmShaft**

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 4KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Arthoscopic Electrodes

BOX OF 50 UNITS		
Multi-Use	Single-Use	
CDEM438	CDES438	 Needle Electrode Angular with handle **4mmShaft**
Multi-Use	Single-Use	
CDEM439	CDES439	 Knife Electrode 45° Angled **4mmShaft**
Multi-Use	Single-Use	
CDEM440	CNES440	 Button Electrode with handle 90° Angled **4mmShaft**
Multi-Use	Single-Use	
CDEM441	CDES441	 Ball Electrode with handle **4mmShaft**
Multi-Use	Single-Use	
CDEM442	CDES442	 Needle Electrode 90° Angular, with handle **4mmShaft**

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp **UMAX: 2KVP**

Diathermy Electrodes — Serial
C DE M/S XXX
Cosil — Multi-Use/Single-Use

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Bipolar ENT Electrodes

Bipolar ENT Electrodes Steel



BOX OF 50 UNITS



Curved Bipolar Electrodes Hand Pieces Angle Tip

Multi-Use	Single-Use
CDEM444	CDES444



Short Angled Bipolar Electrodes Hand Pieces Angle Tip

Multi-Use	Single-Use
CDEM445	CNES445



Angled Bipolar Electrodes Hand Pieces Straight Tip

Multi-Use	Single-Use
CDEM446	CDES446



Long Angled Bipolar Electrodes Hand Pieces Angle Tip

Multi-Use	Single-Use
CDEM447	CDES447

Multi-Use	Single-Use
CDEM443	CDES443

Bipolar ENT Electrodes Teflon



BOX OF 50 UNITS



Bipolar Ent Electrode 40° Horizontal 16.5mm From Handle

Multi-Use	Single-Use
CDEM449	CDES449



Bipolar Ent Electrode 20° Vertical 16.5mm From Handle

Multi-Use	Single-Use
CDEM450	CDES450



Bipolar Ent Electrode 30° Turbianotomie 16.5mm From Handle

Multi-Use	Single-Use
CDEM451	CNES451



Concentric Bipolar Electrode 50° For Therepy Of Root Of Tongue

Multi-Use	Single-Use
CDEM452	CDES452



Concentric Bipolar Electrode 30° For Therepy Of Polyps

Multi-Use	Single-Use
CDEM453	CDES453

Multi-Use	Single-Use
CDEM448	CDES448

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 2KVP**

C DE M/S XXX
C: Cosil; DE: Diathermy Electrodes; M/S: Multi-Use/Single-Use; XXX: Serial

05 Diathermy Cautery Hand Piece and Electrodes

C-TECH Laproscopic Electrodes



Multi-Use CDEM454 **Single-Use** CDES454

Laproscopic Electrodes without Suction

BOX OF 50 UNITS

5X330MM Ball Electrode



Multi-Use CDEM455 **Single-Use** CDES455

5X330MM Needel Electrode



Multi-Use CDEM456 **Single-Use** CNES456

5X330MM Spatula Electrode



Multi-Use CDEM457 **Single-Use** CDES457

5X330MM J-hook Electrode



Multi-Use CDEM458 **Single-Use** CDES458



Multi-Use CDEM459 **Single-Use** CDES459

Laproscopic Electrodes with Suction

BOX OF 50 UNITS

5X330MM Ball Electrode



Multi-Use CDEM460 **Single-Use** CDES460

5X330MM Needel Electrode



Multi-Use CDEM461 **Single-Use** CNES461

5X330MM Spatula Electrode



Multi-Use CDEM462 **Single-Use** CDES462

5X330MM J-hook Electrode



Multi-Use CDEM463 **Single-Use** CDES463

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand



UMAX: 2/4KVP





ELECTROSURGICAL

DIATHERMY ELECTRODES PAD

Electrosurgical diathermy pad electrodes, or return electrodes, safely disperse electrical energy in monopolar electrosurgery, preventing burns. Made from conductive materials with adhesive hydrogel, they ensure secure skin contact. Available in single-use or reusable options, some include contact quality monitoring (CQM) for added safety. Typically placed on areas with sufficient muscle mass, they are vital for patient safety during procedures.



Beneath the electrode surface lies a conductive layer, usually composed of a flexible metal mesh or foil. This layer distributes the electrical current evenly across the pad's surface, ensuring that heat is generated uniformly**.** The design of the conductive layer is critical to the pad's





The electromagnetic coil is responsible for generating the oscillating high-frequency currents that produce the therapeutic heat. Located within the pad, the coil creates a controlled electromagnetic field that transfers energy deep into tissues, stimulating circulation and promoting healing.



Diathermy pads contain an insulation layer that surrounds the conductive elements. This layer is essential for patient safety, as it helps to prevent electrical leakage or accidental burns. High-quality, heat-resistant materials, such as silicone or specialized foams, are used in this layer to maximize safety and comfort.

06 Electrosurgical Diathermy Electrode Pad

Classic, Upgraded

Classic Silicon Rubber Patient Return Plate – Available in 2 Different Connectors



Adult Plate Dimension 260x150x3.3mm



Martin, ERBE, Berchtold, Tekno Series Generators

CDP101



Valleylab, Conmed, BOWA Series Generators

CDP102

Upgraded – Silicon Rubber Patient Return Plate – Available in 2 Different Connectors



Bipolar Adult Plate Dimension200x150x3.3mm



Martin, ERBE, Berchtold, Tekno Series Generators

CDP105



Valleylab, Conmed, BOWA Series Generators

CDP106

Classic Silicon Rubber Patient Return Plate – Without Cable



Adult Plate Dimension 260x150x3.3mm

CDP103

Child Child Plate Dimension 200x80x3.3mm

CDP104

Upgraded –Silicon Rubber Patient Return Plate –Available in 2 Different Connectors



Monopolar Adult Plate Dimension200x150x3.3mm



Martin, ERBE, Berchtold, Tekno Series Generators

CDP107



Valleylab, Conmed, BOWA Series Generators

CDP108

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX

Diathmery Pads
C DP XXX
Cosil Serial

06 Electrosurgical Diathermy Electrode Pad

Premium, With Cable

Premium – Silicon Rubber Patient Return Plate – Available in 2 Different Connectors



Bipolar Adult Plate Dimension200x150x3.3mm



ERBE, Berchtold, Tekno Series Generators
CDP109



Valleylab, Conmed, BOWA Series Generators
CDP110

Premium –Silicon Rubber Patient Return Plate –Available in 2 Different Connectors



Monopolar Adult Plate Dimension200x150x3.3mm



ERBE, Berchtold, Tekno Series Generators
CDP111



Valleylab, Conmed, BOWA Series Generators
CDP112

Disposible Patient Return Plate ***With Cable – Available in 2 Different Connectors***





ERBE, Berchtold, Tekno Series Generators



Valleylab, Conmed, BOWA Series Generators

CDP113	Single-Use Monopolar Patient Return Plates - Child	CDP115
CDP114	Single-Use Monopolar Patient Return Plates - Adult	CDP116

Disposible Patient Return Plate ***With Cable – Available in 2 Different Connectors***





ERBE, Berchtold, Tekno Series Generators



Valleylab, Conmed, BOWA Series Generators

CDP117	Single-Use Monopolar Patient Return Plates - Child	CDP119
CDP118	Single-Use Monopolar Patient Return Plates - Adult	CDP120

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX

Premium Pad — Serial
PP/WC- XXX
Without connector

06 Electrosurgical Diathermy Electrode Pad

Without Cable, Cable, Tip Cleaner

Disposible Patient Return Plate *With Cable – Available in 2 Different Connectors*



Single-Use Monopolar Patient Return Plates - Child	Single-Use Monopolar Patient Return Plates - Adult
CDP121	CDP122



ERBE, Berchtold, Tekno Series Generators



Valleylab, Conmed, BOWA Series Generators

Multi-Use	CDP125	High Frequency Jack for Split/Round Bipolar Plates	CDP127	
Single-Use	CDP126		CDP128	
Multi-Use	CDP129	High Frequency Jack for Split/Round Bipolar Plates	CDP131	
Single-Use	CDP130		CDP132	

Disposible Patient Return Plate *With Cable – Available in 2 Different Connectors*



Single-Use Monopolar Patient Return Plates - Child	Single-Use Monopolar Patient Return Plates - Adult
CDP123	CDP124

Tip Cleaner Pads – Available in 3 Different Sizes



Single-Use Tip Cleaner Pad

CDP133	45x45mm
CDP134	48x48mm
CDP135	50x50mm

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 ax Vp UMAX

Cable Pad / Reuse/Dispose

WOC/CP/TP R/D - XXX

Without Connector / Tip Cleaner / Serial



SINGLE USE

FORCEPS INTEGRATED CABLE

SINGLE USE

FORCEPS INTEGRATED CABLE

Electrosurgical forceps with an integrated cable are precise surgical tools that combine tissue manipulation with electrical energy for cutting and coagulation. Their ergonomic design, durable materials, and seamless integration enhance safety, efficiency, and ease of use across various medical procedures.



The middle area of non-stick forceps often features a textured or grooved surface to provide a secure and controlled grip for the user. This section is usually reinforced for added stability and balance, allowing for precise manipulation even during delicate procedures.



forceps tips are precision-engineered for targeted energy delivery, featuring durable, conductive materials and insulation to ensure accuracy and minimize thermal damage.



Forceps Plugin is an essential accessory for medical and laboratory equipment, designed to enhance the functionality of standard forceps by adding capabilities.

Electrosurgical forceps with an integrated cable design combine precision and functionality, eliminating the need for detachable cables. This streamlined design enhances safety, reduces clutter, and ensures reliable energy transmission for cutting and coagulation during surgical procedures.

07 SU Bipolar Forceps Integrated Cable

Regular Insulated Forceps-Blue

Regular Single Use Mcpherson Bipolar Forceps with Cable-3m



	102mm	108mm	115mm	
International 4mm Banana Plug Fitting	CSUB101T	CSUB101U	CSUB101V	0.50mm
	CSUB102T	CSUB102U	CSUB102V	1.00mm
	CSUB103T	CSUB103U	CSUB103V	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB104T	CSUB104U	CSUB104V	0.50mm
	CSUB105T	CSUB105U	CSUB105V	1.00mm
	CSUB106T	CSUB106U	CSUB106V	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB107T	CSUB107U	CSUB107V	0.50mm
	CSUB108T	CSUB108U	CSUB108V	1.00mm
	CSUB109T	CSUB109U	CSUB109V	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB110T	CSUB110U	CSUB110V	0.50mm
	CSUB111T	CSUB111U	CSUB111V	1.00mm
	CSUB112T	CSUB112U	CSUB112V	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB113T	CSUB113U	CSUB113V	0.50mm
	CSUB114T	CSUB114U	CSUB114V	1.00mm
	CSUB115T	CSUB115U	CSUB115V	2.00mm

Box of 20 Units

Regular Single Use Jeweller Bipolar Forceps with Cable-3m



	102mm	115mm	125mm	
International 4mm Banana Plug Fitting	CSUB131T	CSUB131V	CSUB131Y	0.50mm
	CSUB132T	CSUB132V	CSUB132Y	1.00mm
	CSUB133T	CSUB133V	CSUB133Y	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB134T	CSUB134V	CSUB134Y	0.50mm
	CSUB135T	CSUB135V	CSUB135Y	1.00mm
	CSUB136T	CSUB136V	CSUB136Y	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB137T	CSUB137V	CSUB137Y	0.50mm
	CSUB138T	CSUB138V	CSUB138Y	1.00mm
	CSUB139T	CSUB139V	CSUB139Y	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB140T	CSUB140V	CSUB140Y	0.50mm
	CSUB141T	CSUB141V	CSUB141Y	1.00mm
	CSUB142T	CSUB142V	CSUB142Y	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB143T	CSUB143V	CSUB143Y	0.50mm
	CSUB144T	CSUB144V	CSUB144Y	1.00mm
	CSUB145T	CSUB145V	CSUB145Y	2.00mm

Box of 20 Units

Regular Single Use Mcpherson Bipolar Forceps Angled with Cable-3m



	102mm	108mm	115mm	
International 4mm Banana Plug Fitting	CSUB116T	CSUB116U	CSUB116V	0.50mm
	CSUB117T	CSUB117U	CSUB117V	1.00mm
	CSUB118T	CSUB118U	CSUB118V	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB119T	CSUB119U	CSUB119V	0.50mm
	CSUB120T	CSUB120U	CSUB120V	1.00mm
	CSUB121T	CSUB121U	CSUB121V	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB122T	CSUB122U	CSUB122V	0.50mm
	CSUB123T	CSUB123U	CSUB123V	1.00mm
	CSUB124T	CSUB124U	CSUB124V	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB125T	CSUB125U	CSUB125V	0.50mm
	CSUB126T	CSUB126U	CSUB126V	1.00mm
	CSUB127T	CSUB127U	CSUB127V	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB128T	CSUB128U	CSUB128V	0.50mm
	CSUB129T	CSUB129U	CSUB129V	1.00mm
	CSUB130T	CSUB130U	CSUB130V	2.00mm

Box of 20 Units

Regular Single Use Jeweller Bipolar Forceps Angled with Cable-3m



	102mm	115mm	125mm	
International 4mm Banana Plug Fitting	CSUB146T	CSUB146V	CSUB146Y	0.50mm
	CSUB147T	CSUB147V	CSUB147Y	1.00mm
	CSUB148T	CSUB148V	CSUB148Y	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB149T	CSUB149V	CSUB149Y	0.50mm
	CSUB150T	CSUB150V	CSUB150Y	1.00mm
	CSUB151T	CSUB151V	CSUB151Y	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB152T	CSUB152V	CSUB152Y	0.50mm
	CSUB153T	CSUB153V	CSUB153Y	1.00mm
	CSUB154T	CSUB154V	CSUB154Y	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB155T	CSUB155V	CSUB155Y	0.50mm
	CSUB156T	CSUB156V	CSUB156Y	1.00mm
	CSUB157T	CSUB157V	CSUB157Y	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB158T	CSUB158V	CSUB158Y	0.50mm
	CSUB159T	CSUB159V	CSUB159Y	1.00mm
	CSUB160T	CSUB160V	CSUB160Y	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp

UMAX: 0.5KVP

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Also Available

Wire Sizes: 3mm Regular, 5mm, On Demand

Single Use | Serial

C SU B XXX X

C: Cosil | B: Blue | XXX X: Length

07 SU Bipolar Forceps Integrated Cable

Regular Insulated Forceps-Blue

Regular Single Use Adson Bipolar Forceps with Cable-3m



	121mm	155mm	180mm	200mm	
International 4mm Banana Plug Fitting	CSUB161W	CSUB161A	CSUB161B	CSUB161C	0.50mm
	CSUB162W	CSUB162A	CSUB162B	CSUB162C	1.00mm
	CSUB163W	CSUB163A	CSUB163B	CSUB163C	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB164W	CSUB164A	CSUB164B	CSUB164C	0.50mm
	CSUB165W	CSUB165A	CSUB165B	CSUB165C	1.00mm
	CSUB166W	CSUB166A	CSUB166B	CSUB166C	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB167W	CSUB167A	CSUB167B	CSUB167C	0.50mm
	CSUB168W	CSUB168A	CSUB168B	CSUB168C	1.00mm
	CSUB169W	CSUB169A	CSUB169B	CSUB169C	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB170W	CSUB170A	CSUB170B	CSUB170C	0.50mm
	CSUB171W	CSUB171A	CSUB171B	CSUB171C	1.00mm
	CSUB172W	CSUB172A	CSUB172B	CSUB172C	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB173W	CSUB173A	CSUB173B	CSUB173C	0.50mm
	CSUB174W	CSUB174A	CSUB174B	CSUB174C	1.00mm
	CSUB175W	CSUB175A	CSUB175B	CSUB175C	2.00mm

Box of 20 Units

Regular Single Use Bayonet Bipolar Forceps with Cable-3m



	140mm	165mm	
International 4mm Banana Plug Fitting	CSUB191X	CSUB191Z	0.50mm
	CSUB192X	CSUB192Z	1.00mm
	CSUB193X	CSUB193Z	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB194X	CSUB194Z	0.50mm
	CSUB195X	CSUB195Z	1.00mm
	CSUB196X	CSUB196B	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB197X	CSUB197Z	0.50mm
	CSUB198X	CSUB198Z	1.00mm
	CSUB199X	CSUB199Z	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB200X	CSUB200Z	0.50mm
	CSUB201X	CSUB201Z	1.00mm
	CSUB202X	CSUB202Z	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB203X	CSUB203Z	0.50mm
	CSUB204X	CSUB204Z	1.00mm
	CSUB205X	CSUB205Z	2.00mm

Box of 20 Units

Regular Single Use Straight Bipolar Forceps with Cable-3m



	140mm	165mm	
International 4mm Banana Plug Fitting	CSUB176X	CSUB176Z	0.50mm
	CSUB177X	CSUB177Z	1.00mm
	CSUB178X	CSUB178Z	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB179X	CSUB179Z	0.50mm
	CSUB180X	CSUB180Z	1.00mm
	CSUB181X	CSUB181Z	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB182X	CSUB182Z	0.50mm
	CSUB183X	CSUB183Z	1.00mm
	CSUB184X	CSUB184Z	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB185X	CSUB185Z	0.50mm
	CSUB186X	CSUB186Z	1.00mm
	CSUB187X	CSUB187Z	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB188X	CSUB188Z	0.50mm
	CSUB189X	CSUB189Z	1.00mm
	CSUB190X	CSUB190Z	2.00mm

Box of 20 Units

Regular Single Use Straight Bipolar Forceps Angled with Cable-3m



	140mm	165mm	
International 4mm Banana Plug Fitting	CSUB206X	CSUB206Z	0.50mm
	CSUB207X	CSUB207Z	1.00mm
	CSUB208X	CSUB208Z	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB209X	CSUB209Z	0.50mm
	CSUB210X	CSUB210Z	1.00mm
	CSUB211X	CSUB211Z	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB212X	CSUB212Z	0.50mm
	CSUB213X	CSUB213Z	1.00mm
	CSUB214X	CSUB214Z	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB215X	CSUB215Z	0.50mm
	CSUB216X	CSUB216Z	1.00mm
	CSUB217A	CSUB217Z	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB218X	CSUB218Z	0.50mm
	CSUB219X	CSUB219Z	1.00mm
	CSUB220X	CSUB220Z	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Also Available
Wire Sizes: 3mm Regular, 5mm, On Demand

Single Use | Serial
C SU B XXX X
Cosil | Blue | Length

07 SU Bipolar Forceps Integrated Cable

Regular Insulated Forceps-Blue

Regular Single Use Straight Bipolar Forceps with Cable-3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUB221A	CSUB221B	CSUB221C	CSUB221D	CSUB221E	0.50mm
	CSUB222A	CSUB222B	CSUB222C	CSUB222D	CSUB222E	1.00mm
	CSUB223A	CSUB223B	CSUB223C	CSUB223D	CSUB223E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB224A	CSUB224B	CSUB224C	CSUB224D	CSUB224E	0.50mm
	CSUB225A	CSUB225B	CSUB225C	CSUB225D	CSUB225E	1.00mm
	CSUB226A	CSUB226B	CSUB226C	CSUB226D	CSUB226E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB227A	CSUB227B	CSUB227C	CSUB227D	CSUB227E	0.50mm
	CSUB228A	CSUB228B	CSUB228C	CSUB228D	CSUB228E	1.00mm
	CSUB229A	CSUB229B	CSUB229C	CSUB229D	CSUB229E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB230A	CSUB230B	CSUB230C	CSUB230D	CSUB230E	0.50mm
	CSUB231A	CSUB231B	CSUB231C	CSUB231D	CSUB231E	1.00mm
	CSUB232A	CSUB232B	CSUB232C	CSUB232D	CSUB132E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB233A	CSUB233B	CSUB233C	CSUB233D	CSUB233E	0.50mm
	CSUB234A	CSUB234B	CSUB234C	CSUB234D	CSUB234E	1.00mm
	CSUB235A	CSUB235B	CSUB235C	CSUB235D	CSUB235E	2.00mm

Box of 20 Units

Regular Single Use Straight Bipolar Forceps Angled with Cable-3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUB236A	CSUB236B	CSUB236C	CSUB236D	CSUB236E	0.50mm
	CSUB237A	CSUB237B	CSUB237C	CSUB237D	CSUB237E	1.00mm
	CSUB238A	CSUB238B	CSUB238C	CSUB238D	CSUB238E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB239A	CSUB239B	CSUB239C	CSUB239D	CSUB239E	0.50mm
	CSUB240A	CSUB240B	CSUB240C	CSUB240D	CSUB240E	1.00mm
	CSUB241A	CSUB241B	CSUB241C	CSUB241D	CSUB241E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB242A	CSUB242B	CSUB242C	CSUB242D	CSUB242E	0.50mm
	CSUB243A	CSUB243B	CSUB243C	CSUB243D	CSUB243E	1.00mm
	CSUB244A	CSUB244B	CSUB244C	CSUB244D	CSUB244E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB245A	CSUB245B	CSUB245C	CSUB245D	CSUB245E	0.50mm
	CSUB246A	CSUB246B	CSUB246C	CSUB246D	CSUB246E	1.00mm
	CSUB247A	CSUB247B	CSUB247C	CSUB247D	CSUB247E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB248A	CSUB248B	CSUB248C	CSUB248D	CSUB248E	0.50mm
	CSUB249A	CSUB249B	CSUB249C	CSUB249D	CSUB249E	1.00mm
	CSUB250A	CSUB250B	CSUB250C	CSUB250D	CSUB250E	2.00mm

Box of 20 Units

Regular Single Use Bayonet Bipolar Forceps with Cable -3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUB251A	CSUB251B	CSUB251C	CSUB251D	CSUB251E	0.50mm
	CSUB252A	CSUB252B	CSUB252C	CSUB252D	CSUB252E	1.00mm
	CSUB253A	CSUB253B	CSUB253C	CSUB253D	CSUB253E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB254A	CSUB254B	CSUB254C	CSUB254D	CSUB254E	0.50mm
	CSUB255A	CSUB255B	CSUB255C	CSUB255D	CSUB255E	1.00mm
	CSUB256A	CSUB256B	CSUB256C	CSUB256D	CSUB256E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB257A	CSUB257B	CSUB257C	CSUB257D	CSUB257E	0.50mm
	CSUB258A	CSUB258B	CSUB258C	CSUB258D	CSUB258E	1.00mm
	CSUB259A	CSUB259B	CSUB259C	CSUB259D	CSUB259E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB260A	CSUB260B	CSUB260C	CSUB260D	CSUB260E	0.50mm
	CSUB261A	CSUB261B	CSUB261C	CSUB261D	CSUB261E	1.00mm
	CSUB262A	CSUB262B	CSUB262C	CSUB262D	CSUB132E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB263A	CSUB263B	CSUB263C	CSUB263D	CSUB263E	0.50mm
	CSUB264A	CSUB264B	CSUB264C	CSUB264D	CSUB264E	1.00mm
	CSUB265A	CSUB265B	CSUB265C	CSUB265D	CSUB265E	2.00mm

Box of 20 Units

Regular Single Use Bayonet Bipolar Forceps Angled with Cable -3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUB266A	CSUB266B	CSUB266C	CSUB266D	CSUB266E	0.50mm
	CSUB267A	CSUB267B	CSUB267C	CSUB267D	CSUB267E	1.00mm
	CSUB268A	CSUB268B	CSUB268C	CSUB268D	CSUB268E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB269A	CSUB269B	CSUB269C	CSUB269D	CSUB269E	0.50mm
	CSUB270A	CSUB270B	CSUB270C	CSUB270D	CSUB270E	1.00mm
	CSUB271A	CSUB271B	CSUB271C	CSUB271D	CSUB271E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB272A	CSUB272B	CSUB272C	CSUB272D	CSUB272E	0.50mm
	CSUB273A	CSUB273B	CSUB273C	CSUB273D	CSUB273E	1.00mm
	CSUB274A	CSUB274B	CSUB274C	CSUB274D	CSUB274E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB275A	CSUB275B	CSUB275C	CSUB275D	CSUB275E	0.50mm
	CSUB276A	CSUB276B	CSUB276C	CSUB276D	CSUB276E	1.00mm
	CSUB277A	CSUB277B	CSUB277C	CSUB277D	CSUB277E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB278A	CSUB278B	CSUB278C	CSUB278D	CSUB278E	0.50mm
	CSUB279A	CSUB279B	CSUB279C	CSUB279D	CSUB279E	1.00mm
	CSUB280A	CSUB280B	CSUB280C	CSUB280D	CSUB280E	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Also Available

Wire Sizes: 3mm Regular, 5mm, On Demand

Single Use | Serial

C SU B XXX X

C: Cosil | B: Blue | XXX: Length

07 SU Bipolar Forceps Integrated Cable

Non-Stick Insulated Forceps-Pink

Non-Stick Single Use Mcpherson Bipolar Forceps with Cable-3m



	102mm	108mm	115mm	
International 4mm Banana Plug Fitting	CSUP281T	CSUP281U	CSUP281V	0.50mm
	CSUP282T	CSUP282U	CSUP282V	1.00mm
	CSUP283T	CSUP283U	CSUP283V	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP284T	CSUP284U	CSUP284V	0.50mm
	CSUP285T	CSUP285U	CSUP285V	1.00mm
	CSUP286T	CSUP286U	CSUP286V	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP287T	CSUP287U	CSUP287V	0.50mm
	CSUP288T	CSUP288U	CSUP288V	1.00mm
	CSUP289T	CSUP289U	CSUP289V	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP290T	CSUP290U	CSUP290V	0.50mm
	CSUP291T	CSUP291U	CSUP291V	1.00mm
	CSUP292T	CSUP292U	CSUP292V	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP293T	CSUP293U	CSUP293V	0.50mm
	CSUP294T	CSUP294U	CSUP294V	1.00mm
	CSUP295T	CSUP295U	CSUP295V	2.00mm

Box of 20 Units

Non-Stick Single Use Jeweller Bipolar Forceps with Cable-3m



	102mm	115mm	125mm	
International 4mm Banana Plug Fitting	CSUB311T	CSUB311V	CSUB311Y	0.50mm
	CSUB312T	CSUB312V	CSUB312Y	1.00mm
	CSUB313T	CSUB313V	CSUB313Y	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUB314T	CSUB314V	CSUB314Y	0.50mm
	CSUB315T	CSUB315V	CSUB315Y	1.00mm
	CSUB316T	CSUB316V	CSUB316Y	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUB317T	CSUB317V	CSUB317Y	0.50mm
	CSUB318T	CSUB318V	CSUB318Y	1.00mm
	CSUB319T	CSUB319V	CSUB319Y	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUB320T	CSUB320V	CSUB320Y	0.50mm
	CSUB321T	CSUB321V	CSUB321Y	1.00mm
	CSUB322T	CSUB322V	CSUB322Y	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUB323T	CSUB323V	CSUB323Y	0.50mm
	CSUB324T	CSUB324V	CSUB324Y	1.00mm
	CSUB325T	CSUB325V	CSUB325Y	2.00mm

Box of 20 Units

Non-Stick Single Use Mcpherson Bipolar Forceps Angled with Cable-3m



	102mm	108mm	115mm	
International 4mm Banana Plug Fitting	CSUP296T	CSUP296U	CSUP296V	0.50mm
	CSUP297T	CSUP297U	CSUP297V	1.00mm
	CSUP298T	CSUP298U	CSUP298V	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP299T	CSUP299U	CSUP299V	0.50mm
	CSUP300T	CSUP300U	CSUP300V	1.00mm
	CSUP301T	CSUP301U	CSUP301V	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP302T	CSUP302U	CSUP302V	0.50mm
	CSUP303T	CSUP303U	CSUP303V	1.00mm
	CSUP304T	CSUP304U	CSUP304V	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP305T	CSUP305U	CSUP305V	0.50mm
	CSUP306T	CSUP306U	CSUP306V	1.00mm
	CSUP307T	CSUP307U	CSUP307V	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP308T	CSUP308U	CSUP308V	0.50mm
	CSUP309T	CSUP309U	CSUP309V	1.00mm
	CSUP310T	CSUP310U	CSUP310V	2.00mm

Box of 20 Units

Non-Stick Single Use Jeweller Bipolar Forceps Angled with Cable-3m



	102mm	115mm	125mm	
International 4mm Banana Plug Fitting	CSUP326T	CSUP326V	CSUP326Y	0.50mm
	CSUP327T	CSUP327V	CSUP327Y	1.00mm
	CSUP328T	CSUP328V	CSUP328Y	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP329T	CSUP329V	CSUP329Y	0.50mm
	CSUP330T	CSUP330V	CSUP330Y	1.00mm
	CSUP331T	CSUP331V	CSUP331Y	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP332T	CSUP332V	CSUP332Y	0.50mm
	CSUP333T	CSUP333V	CSUP333Y	1.00mm
	CSUP334T	CSUP334V	CSUP334Y	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP335T	CSUP335V	CSUP335Y	0.50mm
	CSUP336T	CSUP336V	CSUP336Y	1.00mm
	CSUP337T	CSUP337V	CSUP337Y	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP338T	CSUP338V	CSUP338Y	0.50mm
	CSUP339T	CSUP339V	CSUP339Y	1.00mm
	CSUP340T	CSUP340V	CSUP340Y	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available

Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Also Available

Wire Sizes: 3mm Regular, 5mm, On Demand

Single Use | Serial

C SU P XXX X

Cosil | Pink | Length

07 SU Bipolar Forceps Integrated Cable

Non-Stick Insulated Forceps-Pink

Non-Stick Single Use Adson Bipolar Forceps with Cable-3m



	121mm	155mm	180mm	200mm	
International 4mm Banana Plug Fitting	CUSP341W	CUSP341A	CUSP341B	CUSP341C	0.50mm
	CUSP342W	CUSP342A	CUSP342B	CUSP342C	1.00mm
	CUSP343W	CUSP343A	CUSP343B	CUSP343C	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CUSP344W	CUSP344A	CUSP344B	CUSP344C	0.50mm
	CUSP345W	CUSP345A	CUSP345B	CUSP345C	1.00mm
	CUSP346W	CUSP346A	CUSP346B	CUSP346C	2.00mm
ERBE 4mm, Siemens Shutter BM50	CUSP347W	CUSP347A	CUSP347B	CUSP347C	0.50mm
	CUSP348W	CUSP348A	CUSP348B	CUSP348C	1.00mm
	CUSP349W	CUSP349A	CUSP349B	CUSP349C	2.00mm
Aesculap, Berchtold, Wolf, Martin	CUSP350W	CUSP350A	CUSP350B	CUSP350C	0.50mm
	CUSP351W	CUSP351A	CUSP351B	CUSP351C	1.00mm
	CUSP352W	CUSP352A	CUSP352B	CUSP352C	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CUSP353W	CUSP353A	CUSP353B	CUSP353C	0.50mm
	CUSP354W	CUSP354A	CUSP354B	CUSP354C	1.00mm
	CUSP355W	CUSP355A	CUSP355B	CUSP355C	2.00mm

Box of 20 Units

Non-Stick Single Use Bayonet Bipolar Forceps with Cable-3m



	140mm	165mm	
International 4mm Banana Plug Fitting	CSUP371X	CSUP371Z	0.50mm
	CSUP372X	CSUP372Z	1.00mm
	CSUP373X	CSUP373Z	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP374X	CSUP374Z	0.50mm
	CSUP375X	CSUP375Z	1.00mm
	CSUP376X	CSUP376B	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP377X	CSUP377Z	0.50mm
	CSUP378X	CSUP378Z	1.00mm
	CSUP379X	CSUP379Z	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP380X	CSUP380Z	0.50mm
	CSUP381X	CSUP381Z	1.00mm
	CSUP382X	CSUP382Z	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP383X	CSUP383Z	0.50mm
	CSUP384X	CSUP384Z	1.00mm
	CSUP385X	CSUP385Z	2.00mm

Box of 20 Units

Non-Stick Single Use Straight Bipolar Forceps with Cable-3m



	140mm	165mm	
International 4mm Banana Plug Fitting	CSUP356X	CSUP356Z	0.50mm
	CSUP357X	CSUP357Z	1.00mm
	CSUP358X	CSUP358Z	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP359X	CSUP359Z	0.50mm
	CSUP360X	CSUP360Z	1.00mm
	CSUP361X	CSUP361Z	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP362X	CSUP362Z	0.50mm
	CSUP363X	CSUP363Z	1.00mm
	CSUP364X	CSUP364Z	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP365X	CSUP365Z	0.50mm
	CSUP366X	CSUP366Z	1.00mm
	CSUP367X	CSUP367Z	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP368X	CSUP368Z	0.50mm
	CSUP369X	CSUP369Z	1.00mm
	CSUP370X	CSUP370Z	2.00mm

Box of 20 Units

Non-Stick Single Use Straight Bipolar Forceps Angled with Cable-3m



	140mm	165mm	
International 4mm Banana Plug Fitting	CSUP386X	CSUP386Z	0.50mm
	CSUP387X	CSUP387Z	1.00mm
	CSUP388X	CSUP388Z	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP389X	CSUP389Z	0.50mm
	CSUP390X	CSUP390Z	1.00mm
	CSUP391X	CSUP391Z	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP392X	CSUP392Z	0.50mm
	CSUP393X	CSUP393Z	1.00mm
	CSUP394X	CSUP394Z	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP395X	CSUP395Z	0.50mm
	CSUP396X	CSUP396Z	1.00mm
	CSUP397A	CSUP397Z	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP398X	CSUP398Z	0.50mm
	CSUP399X	CSUP399Z	1.00mm
	CSUP400X	CSUP400Z	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Also Available
Wire Sizes: 3mm Regular, 5mm, On Demand

Single Use — C SU P — Cosil, Pink
Serial — XXX X — Length

07 SU Bipolar Forceps Integrated Cable

Non-Stick Insulated Forceps-Pink

Non-Stick Single Use Straight Bipolar Forceps with Cable-3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUP401A	CSUP401B	CSUP401C	CSUP401D	CSUP401E	0.50mm
	CSUP402A	CSUP402B	CSUP402C	CSUP402D	CSUP402E	1.00mm
	CSUP403A	CSUP403B	CSUP403C	CSUP403D	CSUP403E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP404A	CSUP404B	CSUP404C	CSUP404D	CSUP404E	0.50mm
	CSUP405A	CSUP405B	CSUP405C	CSUP405D	CSUP405E	1.00mm
	CSUP406A	CSUP406B	CSUP406C	CSUP406D	CSUP406E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP407A	CSUP407B	CSUP407C	CSUP407D	CSUP407E	0.50mm
	CSUP408A	CSUP408B	CSUP408C	CSUP408D	CSUP408E	1.00mm
	CSUP409A	CSUP409B	CSUP409C	CSUP409D	CSUP409E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP410A	CSUP410B	CSUP410C	CSUP410D	CSUP410E	0.50mm
	CSUP411A	CSUP411B	CSUP411C	CSUP411D	CSUP411E	1.00mm
	CSUP412A	CSUP412B	CSUP412C	CSUP412D	CSUP132E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP413A	CSUP413B	CSUP413C	CSUP413D	CSUP413E	0.50mm
	CSUP414A	CSUP414B	CSUP414C	CSUP414D	CSUP414E	1.00mm
	CSUP415A	CSUP415B	CSUP415C	CSUP415D	CSUP415E	2.00mm

Box of 20 Units

Non-Stick Single Use Straight Bipolar Forceps Angled with Cable-3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUP416A	CSUP416B	CSUP416C	CSUP416D	CSUP416E	0.50mm
	CSUP417A	CSUP417B	CSUP417C	CSUP417D	CSUP417E	1.00mm
	CSUP418A	CSUP418B	CSUP418C	CSUP418D	CSUP418E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP419A	CSUP419B	CSUP419C	CSUP419D	CSUP419E	0.50mm
	CSUP420A	CSUP420B	CSUP420C	CSUP420D	CSUP420E	1.00mm
	CSUP421A	CSUP421B	CSUP421C	CSUP421D	CSUP421E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP422A	CSUP422B	CSUP422C	CSUP422D	CSUP422E	0.50mm
	CSUP423A	CSUP423B	CSUP423C	CSUP423D	CSUP423E	1.00mm
	CSUP424A	CSUP424B	CSUP424C	CSUP424D	CSUP424E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP425A	CSUP425B	CSUP425C	CSUP425D	CSUP425E	0.50mm
	CSUP426A	CSUP426B	CSUP426C	CSUP426D	CSUP426E	1.00mm
	CSUP427A	CSUP427B	CSUP427C	CSUP427D	CSUP427E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP428A	CSUP428B	CSUP428C	CSUP428D	CSUP428E	0.50mm
	CSUP429A	CSUP429B	CSUP429C	CSUP429D	CSUP429E	1.00mm
	CSUP430A	CSUP430B	CSUP430C	CSUP430D	CSUP430E	2.00mm

Box of 20 Units

Non-Stick Single Use Bayonet Bipolar Forceps with Cable -3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUP431A	CSUP431B	CSUP431C	CSUP431D	CSUP431E	0.50mm
	CSUP432A	CSUP432B	CSUP432C	CSUP432D	CSUP432E	1.00mm
	CSUP433A	CSUP433B	CSUP433C	CSUP433D	CSUP433E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP434A	CSUP434B	CSUP434C	CSUP434D	CSUP434E	0.50mm
	CSUP435A	CSUP435B	CSUP435C	CSUP435D	CSUP435E	1.00mm
	CSUP436A	CSUP436B	CSUP436C	CSUP436D	CSUP436E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP437A	CSUP437B	CSUP437C	CSUP437D	CSUP437E	0.50mm
	CSUP438A	CSUP438B	CSUP438C	CSUP438D	CSUP438E	1.00mm
	CSUP439A	CSUP439B	CSUP439C	CSUP439D	CSUP439E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP440A	CSUP440B	CSUP440C	CSUP440D	CSUP440E	0.50mm
	CSUP441A	CSUP441B	CSUP441C	CSUP441D	CSUP441E	1.00mm
	CSUP442A	CSUP442B	CSUP442C	CSUP442D	CSUP132E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP443A	CSUP443B	CSUP443C	CSUP443D	CSUP443E	0.50mm
	CSUP444A	CSUP444B	CSUP444C	CSUP444D	CSUP444E	1.00mm
	CSUP445A	CSUP445B	CSUP445C	CSUP445D	CSUP445E	2.00mm

Box of 20 Units

Non-Stick Single Use Bayonet Bipolar Forceps Angled with Cable -3m



	155mm	180mm	200mm	220mm	240mm	
International 4mm Banana Plug Fitting	CSUP446A	CSUP446B	CSUP446C	CSUP446D	CSUP446E	0.50mm
	CSUP447A	CSUP447B	CSUP447C	CSUP447D	CSUP447E	1.00mm
	CSUP448A	CSUP448B	CSUP448C	CSUP448D	CSUP448E	2.00mm
BOWA,Limidey,EMC Valleylab,Ethicon	CSUP449A	CSUP449B	CSUP449C	CSUP449D	CSUP449E	0.50mm
	CSUP450A	CSUP450B	CSUP450C	CSUP450D	CSUP450E	1.00mm
	CSUP451A	CSUP451B	CSUP451C	CSUP451D	CSUP451E	2.00mm
ERBE 4mm, Siemens Shutter BM50	CSUP452A	CSUP452B	CSUP452C	CSUP452D	CSUP452E	0.50mm
	CSUP453A	CSUP453B	CSUP453C	CSUP453D	CSUP453E	1.00mm
	CSUP454A	CSUP454B	CSUP454C	CSUP454D	CSUP454E	2.00mm
Aesculap, Berchtold, Wolf, Martin	CSUP455A	CSUP455B	CSUP455C	CSUP455D	CSUP455E	0.50mm
	CSUP456A	CSUP456B	CSUP456C	CSUP456D	CSUP456E	1.00mm
	CSUP457A	CSUP457B	CSUP457C	CSUP457D	CSUP457E	2.00mm
Eschmann 18mm, Ellman 22mm, Vallylab 28mm, Conmed 30mm	CSUP458A	CSUP458B	CSUP458C	CSUP458D	CSUP458E	0.50mm
	CSUP459A	CSUP459B	CSUP459C	CSUP459D	CSUP459E	1.00mm
	CSUP460A	CSUP460B	CSUP460C	CSUP460D	CSUP460E	2.00mm

Box of 20 Units

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp **UMAX: 0.5KVP**

Also Available
Tip Sizes: 0.25mm, 0.75mm, 1.25mm, 2.50mm

Also Available
Wire Sizes: 3mm Regular, 5mm, On Demand

Single Use | Serial
C SU P XXX X
Cosil | Pink | Length



ELECTROSURGICAL
GENERATORS

Our Diathermy Electrosurgical Machines are designed to provide reliable and precise energy delivery for a wide range of surgical procedures. Equipped with advanced technology, these machines offer adjustable power settings, ensuring optimal performance for both cutting and coagulation. With user-friendly interfaces and safety features, they deliver consistent results while maintaining patient safety. Ideal for various medical specialties, our machines are engineered for durability, ease of use, and enhanced surgical outcomes.



Convenient Operation
by Finger-suit Buttons



Simple Error Code for
Fast Trouble Shooting





REM (Return Electrode Monitorting)
System to avoid any burnt or damage
to the surgeon and patient.



It can be connected to
endoscopes for more
clinical applications

CEG101

Power Supply:

110V, 50/60Hz or 220V,50/60Hz

Dimension:

Product: 330(L) x 280(W) x 100(H) mm
Package: 440(L) x 390(W) x 260(H) mm

Electrosurgical Unit
150WATTS

Weight:

Net Weight: 4.7KG
Gross Weight: 8.9KG

Smart Electrosurgical Unit

Compact design for both monopolar & bipolar.
Max 4working modes: Pure/Blend, Standard/Bipolar.
Fast trouble-shooting by default Error alarm system
REM (Return Electrode Monitoring) systemfor highest safety; Excellent operation performance with minimal sticking & carbonization. Different & adjustable operation sounds in case of misoperation; Wide clinical application,Suitable for different surgery





Easy-to-Use

Convenient Operation by Finger-suit Buttons



Error Code

Simple Error Code for Fast Trouble-shooting



High Safety

Rem (Return Electrod Monitoring) systemto avoid any burnt or damage to the surgeon and patient.



Wide Application

It can be connected to endoscopesfor more clinical applications.

Standard Accessory



Standard | Push Button | Foot Switch | Foot | Disposable | Patient Plate | Bipolar

Optional



Silicon | Metal

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 137 max Vp UMAX

Electrosurgical Generator
C EG XXX
Cosil Serial

CEG102

Power Supply:

110V, 50/60Hz or 220V,50/60Hz

Dimension:

Product: 421(L) x 357(W) x 162(H) mm
Package: 520(L) x 445(W) x 305(H) mm

Weight:

Net Weight: 8.7KG
Gross Weight: 14.5KG

High-frequency Electrosurgical Unit

Easy-to-use buttons for simple operation
High power output 400W for more operation selection
Up to 7 work modes: Pure/Blend1/Blend2, Standard/Spray, Bipo1/Bipo2
Increment of 5W micro power control system to ensure optimal effect Minimal sticking and carbonization, reduce the surgery damage
Fast trouble-shooting by default error alarm system
Auto-terminate of power output after 5 seconds to avoid misoperation Support endoscopes connection and underwater cutting (TURP etc) OEM projects

Electrosurgical Unit 400WATTS





Multiple Functions
Clear Color Indicators for Work Mode & Alarm



Easy-to-Use
Convenient Operation by Finger-suit Buttons



Error Code
Simple Error Code for Fast Trouble-shooting

Standard Accessory



Standard Electrodes | Push Button Electrosurgical Pencil | Foot Switch Electrosurgical Pencil | Foot Switch | Disposable Bipolar Neutral Pad | Patient Plate Cable | Bipolar Forceps

Optional



Silicon Patient Plate | Metal Patient Plate



High Safety
Rem(Return Electrod Monitoring) systemto avoid any burnt or damage to the surgeon and patient.



Wide Application
It can be connected to endoscopesfor more clinical applications.

Note for above products:
Special lengths+Tips and/or colours can be custom ordered as per the demand

95 | 137 | max Vp | UMAX

Electrosurgical Generator
C EG XXX
Cosil | Serial



COSIL
INSTRUMENTS COMPANY

We Provide
24/7 Customer Support

cosilinstruments@gmail.com

sales@cosilinstruments.com

www.cosilinstruments.com